

**Section 01
Balls**

| Part Ref. | |
|-----------|---------------------------|
| 01.185 | 1/8 Dia. Steel Ball. |
| 01.786 | 5/32 Dia. Steel Ball. |
| 01.787 | 3/16 Dia. Steel Ball. |
| 01.788 | 1/4 Dia. Steel Ball. |
| 01.789 | 5/16 Dia. Steel Ball. |
| 01.790 | 3/8 Dia. Steel Ball. |
| 01.791 | 9/16 Dia. Steel Ball. |
| 01.792 | 5/8 Dia. Steel Ball. |
| 01.793 | 1/4 Dia. Phosphor Bronze. |
| 01.794 | 7/32 Dia. Steel Ball. |
| 01.795 | 9/32 Dia. Steel Ball. |
| 01.796 | 11/32 Dia. Steel Ball. |
| 01.797 | 13/32 Dia. Steel Ball. |
| 01.798 | 7/16 Dia. Steel Ball. |
| 01.799 | 15/32 Dia. Steel Ball. |
| 01.800 | 1/2 Dia. Steel Ball. |
| 01.801 | 17/32 Dia. Steel Ball. |
| 01.802 | 19/32 Dia. Steel Ball. |

**Section 02
Bearings - Ball Journal**

| Part Ref. | |
|-----------|---|
| 02.032 | 2 1/4 Dia. Hoffmann. XLS. |
| 02.033 | 2 1/2 Dia. Hoffmann. XLS. |
| 02.061 | 2 in. Dia. Hoffmann. XLS. |
| 02.180 | 2 1/8 x 1 1/8 x 3/8 Hoffmann. S11. |
| 02.872 | 10 m/m x 28 m/m x 8 m/m. Hoffmann. A10. |
| 02.873 | 13 m/m x 30 m/m x 7 m/m. Hoffman. A13. |
| 02.874 | 15 m/m x 35 m/m x 8 m/m. Hoffmann. A15. |
| 02.875 | 3/4 i.d. x 1 1/8 o.d. Hoffmann LS.8. |
| 02.876 | 7/8 i.d. x 1 7/8 o.d. x 3/8 wide Hoffmann. S9V2. |
| 02.877 | 1 in. i.d. x 2 in. o.d. x 3/8 wide Hoffmann. S10V2. |
| 02.878 | 50 m/m x 80 m/m x 16 m/m Hoffmann. |
| 02.879 | 2 in. i.d. x 3 5/16 o.d. Hoffmann. XLS.2. |

**Section 03
Bearings - Roller**

| Part Ref. | |
|-----------|---|
| 03.038 | 181/118/181190 XH Gamet. |
| 03.039 | 131095/131152 X Gamet. |
| 03.079 | HK1512 Ina Needle Roller. |
| 03.183 | 1 1/8 x 7/8 x 3/4 Ina SC1412 Needle Roller. |
| 03.184 | 1 in. x 3/4 x 1/2 Ina SC128 Needle Roller. |
| 03.187 | 1 1/2 x 1 1/4 x 1 Ina SC2016 Needle Roller. |
| 03.189 | 1 1/2 x 1 1/4 x 3/4 Ina SC2012 Needle Roller. |
| 03.191 | 1 3/8 x 1 1/8 x 3/4 Ina SC1812 Needle Roller. |
| 03.886 | 21 m/m x 15 m/m x 16 m/m HIHK.1516 Ina Needle. |
| 03.887 | 1 in. x 3/4 x 3/4 Ina SC1212 Needle Roller. |
| 03.888 | 7/8 x 1 1/16 x 3/4 Ina SC1112 Needle Roller. |
| 03.889 | 35 m/m x 28 m/m x 20 m/m HK.2820 Ina Needle. |
| 03.890 | 3/8 bore x 9/16 o.d. x 1/2 in. long Ina SC68 Needle Roller. |
| 03.891 | 9/16 bore x 3/4 o.d. x 1/2 in. long Ina SC98 Needle Roller. |

Section 03 continued

| Part Ref. | |
|-----------|--|
| 03.892 | 17 m/m x 40 m/m x 13 m/m KGSTaper roller KE30203 |
| 03.893 | 17 m/m bore Gamet taper roller 4 micron series plain. |
| 03.894 | 1 1/16 bore x 7/8 o.d. x 1/2 in. long Ina SC118 Needle Roller. |
| 03.895 | 20 m/m bore Gamet taper roller 4 micron series collar. |
| 03.896 | 25 m/m x 52 m/m x 16 m/m KGS taper roller KE30205 |
| 03.897 | 1 in. x 1/4 x 3/4 Ina SC1612 Needle Roller. |
| 03.898 | 1 1/8 x 1 3/8 x 1/2 Ina SC188 Needle Roller. |
| 03.899 | 50 m/m x 90 m/m x 29 m/m Gamet taper roller. |
| 03.900 | 2 3/8 bore x 4 o.d. x 1 in. long type 113060/113101 XH Gamet. |
| 03.901 | 140085/140140 H. Gamet. |
| 03.902 | 120063/1200110 H. Gamet. |
| 03.910 | 111,050/111,090 Gamet. |
| 03.911 | 131,095/131,152 X Gamet. |
| 03.912 | 111,050/111,090 C Gamet. |
| 03.913 | 112,045/112,085 C Gamet. |
| 03.914 | L181,118/181,190 XH Gamet. |
| 03.916 | SC1816 Ina Needle Roller. |

**Section 04
Bearings - Thrust**

| Part Ref. | |
|-----------|-----------------------|
| 04.081 | A & K 1528 R & M. |
| 04.882 | WSP 5/8 in. Hoffmann. |
| 04.883 | HR 7/8 in. Hoffmann. |
| 04.884 | W 1 1/8 in. Hoffmann. |
| 04.885 | W 1 1/4 in. Hoffmann. |
| 04.886 | SCT 5/8 in. R & M. |
| 04.887 | SHT 7/8 in. |
| 04.888 | LT 1 1/4 in. R & M. |

**Section 05
Belts - Flat**

| Part Ref. | |
|-----------|--|
| 05.953 | 55 in. x 1 1/2 x 3 m/m Thk. 271-21 FW. |
| 05.954 | 58 in. x 1 1/2 x 3 m/m Thk. 271-21 FW. |
| 05.955 | 71 in. x 1 1/2 x 3 m/m Thk. 271-21 FW. |
| 05.956 | 79 in. x 1 1/2 x 3 m/m Thk. 271-21 FW. |
| 05.957 | 80 in. x 1 1/2 x 3 m/m Thk. 271-21 FW. |
| 05.958 | 82 in. x 1 1/2 x 3 m/m Thk. 271-21 FW. |
| 05.959 | 83 in. x 1 1/2 x 3 m/m Thk. 271-21 FW. |
| 05.960 | 73 in. Lewis & Tyler. |
| 05.961 | 75 in. Lewis & Tyler. |
| 05.962 | 76 in. x 1 1/2 x 3 m/m Thk. 271-21 FW. |
| 05.963 | 78 in. x 1 1/2 x 3 m/m Thk. 271-21 FW. |
| 05.964 | 80 in. Lewis & Tyler. |
| 05.965 | 81 in. Lewis & Tyler. |
| 05.966 | 81 in. x 1 1/2 x 3 m/m Thk. 271-21 FW. |

**Section 06
Belts - Timing**

| Part Ref. | |
|-----------|-----------------------------|
| 06.950 | 150L x 1/2 in. wide 40T. |
| 06.951 | 187L x 1/2 in. wide 50T. |
| 06.952 | 210L x 1/2 in. wide 56T. |
| 06.953 | 225L x 1/2 in. wide 60T. |
| 06.954 | 240L x 1/2 in. wide 64T. |
| 06.955 | 255L x 1/2 in. wide 68T. |
| 06.956 | 270L x 1/2 in. wide 72T. |
| 06.957 | 285L x 1/2 in. wide 76T. |
| 06.958 | 300L x 1/2 in. wide 80T. |
| 06.959 | 322L x 1/2 in. wide 86T. |
| 06.960 | 210L x 1 1/2 in. wide. |
| 06.961 | 345L x 1 1/2 in. wide 92T. |
| 06.962 | 360L x 1 1/2 in. wide. |
| 06.963 | 367L x 1/2 in. wide 98T. |
| 06.964 | 390L x 1/2 in. wide 104T. |
| 06.965 | 420L x 1/2 in. wide 112T. |
| 06.966 | 450L x 1/2 in. wide 120T. |
| 06.967 | 480L x 1/2 in. wide 128T. |
| 06.968 | 240H x 1 1/2 in. wide 48T. |
| 06.969 | 270H x 1 1/2 in. wide 54T. |
| 06.970 | 300H x 1 1/2 in. wide 60T. |
| 06.971 | 330H x 1 1/2 in. wide 66T. |
| 06.972 | 360H x 1 1/2 in. wide 72T. |
| 06.973 | 390H x 1 1/2 in. wide 78T. |
| 06.974 | 420H x 1 1/2 in. wide 84T. |
| 06.975 | 450H x 1 1/2 in. wide 90T. |
| 06.976 | 480H x 1 1/2 in. wide 96T. |
| 06.977 | 510H x 1 1/2 in. wide 102T. |
| 06.978 | 540H x 1 1/2 in. wide 108T. |

**Section 07
Belts - Vee**

| Part Ref. | |
|-----------|--------------------------------|
| 07.142 | A34 x 1/2 in. wide x 5/16 Thk. |
| 07.929 | A30 x 1/2 in. wide x 5/16 Thk. |
| 07.930 | A31 x 1/2 in. wide x 5/16 Thk. |
| 07.931 | A32 x 1/2 in. wide x 5/16 Thk. |
| 07.932 | A33 x 1/2 in. wide x 5/16 Thk. |
| 07.934 | A35 x 1/2 in. wide x 5/16 Thk. |
| 07.935 | A36 x 1/2 in. wide x 5/16 Thk. |
| 07.936 | A37 x 1/2 in. wide x 5/16 Thk. |
| 07.937 | A38 x 1/2 in. wide x 5/16 Thk. |
| 07.938 | A39 x 1/2 in. wide x 5/16 Thk. |
| 07.939 | A40 x 1/2 in. wide x 5/16 Thk. |
| 07.940 | A41 x 1/2 in. wide x 5/16 Thk. |
| 07.941 | A42 x 1/2 in. wide x 5/16 Thk. |
| 07.942 | A43 x 1/2 in. wide x 5/16 Thk. |
| 07.943 | A44 x 1/2 in. wide x 5/16 Thk. |
| 07.944 | A45 x 1/2 in. wide x 5/16 Thk. |
| 07.945 | A46 x 1/2 in. wide x 5/16 Thk. |
| 07.946 | A47 x 1/2 in. wide x 5/16 Thk. |
| 07.947 | A48 x 1/2 in. wide x 5/16 Thk. |
| 07.948 | A49 x 1/2 in. wide x 5/16 Thk. |
| 07.949 | A53 x 1/2 in. wide x 5/16 Thk. |
| 07.950 | A71 x 1/2 in. wide x 5/16 Thk. |
| 07.951 | A78 x 1/2 in. wide x 5/16 Thk. |
| 07.952 | A79 x 1/2 in. wide x 5/16 Thk. |
| 07.953 | A80 x 1/2 in. wide x 5/16 Thk. |
| 07.954 | A82 x 1/2 in. wide x 5/16 Thk. |
| 07.955 | A50 x 1/2 in. wide x 5/16 Thk. |
| 07.956 | A51 x 1/2 in. wide x 5/16 Thk. |
| 07.957 | A52 x 1/2 in. wide x 5/16 Thk. |
| 07.958 | A54 x 1/2 in. wide x 5/16 Thk. |
| 07.959 | A55 x 1/2 in. wide x 5/16 Thk. |
| 07.960 | A56 x 1/2 in. wide x 5/16 Thk. |
| 07.961 | A57 x 1/2 in. wide x 5/16 Thk. |
| 07.962 | A58 x 1/2 in. wide x 5/16 Thk. |
| 07.963 | A60 x 1/2 in. wide x 5/16 Thk. |
| 07.964 | A61 x 1/2 in. wide x 5/16 Thk. |
| 07.965 | A62 x 1/2 in. wide x 5/16 Thk. |
| 07.966 | A63 x 1/2 in. wide x 5/16 Thk. |
| 07.967 | A64 x 1/2 in. wide x 5/16 Thk. |
| 07.968 | A65 x 1/2 in. wide x 5/16 Thk. |

Section 07 continued

| Part Ref. | |
|-----------|--------------------------------|
| 07.969 | A66 x 1/2 in. wide x 5/16 Thk. |
| 07.970 | A68 x 1/2 in. wide x 5/16 Thk. |
| 07.971 | A70 x 1/2 in. wide x 5/16 Thk. |
| 07.972 | A72 x 1/2 in. wide x 5/16 Thk. |
| 07.973 | A74 x 1/2 in. wide x 5/16 Thk. |
| 07.974 | A75 x 1/2 in. wide x 5/16 Thk. |
| 07.975 | A76 x 1/2 in. wide x 5/16 Thk. |
| 07.976 | A81 x 1/2 in. wide x 5/16 Thk. |
| 07.977 | A84 x 1/2 in. wide x 5/16 Thk. |
| 07.978 | A85 x 1/2 in. wide x 5/16 Thk. |
| 07.979 | A87 x 1/2 in. wide x 5/16 Thk. |
| 07.980 | A90 x 1/2 in. wide x 5/16 Thk. |
| 07.981 | A92 x 1/2 in. wide x 5/16 Thk. |
| 07.982 | A93 x 1/2 in. wide x 5/16 Thk. |
| 07.983 | A94 x 1/2 in. wide x 5/16 Thk. |
| 07.984 | A96 x 1/2 in. wide x 5/16 Thk. |
| 07.985 | A97 x 1/2 in. wide x 5/16 Thk. |

Section 08
Bolts - Hex Head

| Part Ref. | |
|-----------|----------------------------------|
| 08.002 | 10 x 24 t.p.i. x 1/2 in. long. |
| 08.003 | 10 x 24 t.p.i. x 3/4 in. long. |
| 08.004 | 10 x 24 t.p.i. x 1 in. long. |
| 08.005 | 10 x 24 t.p.i. x 1 1/4 in. long. |
| 08.006 | 10 x 24 t.p.i. x 1 1/2 in. long. |
| 08.007 | 10 x 24 t.p.i. x 1 3/4 in. long. |
| 08.008 | 10 x 24 t.p.i. x 1 7/8 in. long. |
| 08.009 | 10 x 24 t.p.i. x 1 3/8 in. long. |
| 08.010 | 10 x 24 t.p.i. x 1 1/2 in. long. |
| 08.011 | 3/8 U.N.C. x 1 1/4 in. long. |
| 08.012 | 3/8 U.N.C. x 2 in. long. |
| 08.013 | 1/2 U.N.C. x 1 1/4 in. long. |
| 08.014 | 1/2 U.N.C. x 1 1/2 in. long. |
| 08.015 | 1/2 U.N.C. x 1 3/4 in. long. |
| 08.016 | 1/2 U.N.C. x 2 in. long. |
| 08.017 | 5/8 U.N.C. x 3 1/2 in. long. |
| 08.018 | 3/8 U.N.C. x 1 1/2 in. long. |
| 08.019 | 3/8 U.N.C. x 3 in. long. |
| 08.020 | 1/2 U.N.C. x 2 1/4 in. long. |
| 08.021 | 3/8 U.N.C. x 4 in. long. |
| 08.022 | 1/2 U.N.C. x 3 1/2 in. long. |
| 08.023 | 10 x 24 t.p.i. x 1 5/8 in. long. |
| 08.024 | 10 x 24 t.p.i. x 1 3/4 in. long. |
| 08.025 | 10 x 24 t.p.i. x 1 7/8 in. long. |
| 08.026 | 10 x 24 t.p.i. x 2 in. long. |
| 08.027 | 10 x 24 t.p.i. x 2 1/4 in. long. |
| 08.028 | 10 x 24 t.p.i. x 2 1/2 in. long. |
| 08.029 | 10 x 24 t.p.i. x 2 3/4 in. long. |
| 08.030 | 10 x 24 t.p.i. x 2 1/2 in. long. |
| 08.031 | 1/4 U.N.C. x 1/2 in. long. |
| 08.032 | 1/2 U.N.C. x 5/8 in. long. |
| 08.033 | 1/4 U.N.C. x 3/4 in. long. |
| 08.034 | 1/4 U.N.C. x 7/8 in. long. |
| 08.035 | 1/4 U.N.C. x 1 in. long. |
| 08.036 | 1/4 U.N.C. x 1 1/8 in. long. |
| 08.037 | 1/4 U.N.C. x 1 1/4 in. long. |
| 08.038 | 1/4 U.N.C. x 1 3/8 in. long. |
| 08.039 | 1/4 U.N.C. x 1 1/2 in. long. |
| 08.040 | 1/4 U.N.C. x 1 5/8 in. long. |
| 08.041 | 1/4 U.N.C. x 1 3/4 in. long. |
| 08.042 | 1/4 U.N.C. x 1 7/8 in. long. |
| 08.043 | 1/4 U.N.C. x 2 in. long. |
| 08.044 | 1/4 U.N.C. x 2 1/8 in. long. |
| 08.045 | 1/4 U.N.C. x 2 1/4 in. long. |
| 08.046 | 1/4 U.N.C. x 2 3/8 in. long. |
| 08.047 | 1/4 U.N.C. x 2 1/2 in. long. |
| 08.048 | 5/16 U.N.C. x 3/4 in. long. |
| 08.049 | 5/16 U.N.C. x 7/8 in. long. |
| 08.050 | 5/16 U.N.C. x 1 in. long. |
| 08.051 | 5/16 U.N.C. x 1 1/8 in. long. |
| 08.052 | 5/16 U.N.C. x 1 1/4 in. long. |
| 08.053 | 5/16 U.N.C. x 1 3/8 in. long. |
| 08.054 | 5/16 U.N.C. x 1 1/2 in. long. |
| 08.055 | 5/16 U.N.C. x 1 5/8 in. long. |

Section 08 continued

| Part Ref. | |
|-----------|-------------------------------|
| 08.056 | 5/16 U.N.C. x 1 3/4 in. long. |
| 08.057 | 5/16 U.N.C. x 1 7/8 in. long. |
| 08.058 | 5/16 U.N.C. x 2 in. long. |
| 08.059 | 5/16 U.N.C. x 2 1/8 in. long. |
| 08.060 | 5/16 U.N.C. x 2 1/4 in. long. |
| 08.061 | 5/16 U.N.C. x 2 3/8 in. long. |
| 08.062 | 5/16 U.N.C. x 2 1/2 in. long. |
| 08.063 | 5/16 U.N.C. x 2 5/8 in. long. |
| 08.064 | 5/16 U.N.C. x 2 3/4 in. long. |
| 08.065 | 5/16 U.N.C. x 2 7/8 in. long. |
| 08.066 | 5/16 U.N.C. x 3 in. long. |
| 08.067 | 3/8 U.N.C. x 3/4 in. long. |
| 08.068 | 3/8 U.N.C. x 7/8 in. long. |
| 08.069 | 3/8 U.N.C. x 1 in. long. |
| 08.070 | 3/8 U.N.C. x 1 1/8 in. long. |
| 08.071 | 3/8 U.N.C. x 1 3/8 in. long. |
| 08.072 | 3/8 U.N.C. x 1 1/2 in. long. |
| 08.073 | 3/8 U.N.C. x 1 3/4 in. long. |
| 08.074 | 3/8 U.N.C. x 1 7/8 in. long. |
| 08.075 | 3/8 U.N.C. x 2 1/8 in. long. |
| 08.076 | 3/8 U.N.C. x 2 in. long. |
| 08.077 | 3/8 U.N.C. x 2 3/8 in. long. |
| 08.078 | 3/8 U.N.C. x 2 1/2 in. long. |
| 08.079 | 3/8 U.N.C. x 2 5/8 in. long. |
| 08.080 | 3/8 U.N.C. x 2 3/4 in. long. |
| 08.081 | 3/8 U.N.C. x 2 7/8 in. long. |
| 08.082 | 3/8 U.N.C. x 3 in. long. |
| 08.083 | 3/8 U.N.C. x 3 1/4 in. long. |
| 08.084 | 3/8 U.N.C. x 3 1/2 in. long. |
| 08.085 | 3/8 U.N.C. x 3 3/4 in. long. |
| 08.086 | 1/2 U.N.C. x 3/4 in. long. |
| 08.087 | 1/2 U.N.C. x 7/8 in. long. |
| 08.088 | 1/2 U.N.C. x 1 in. long. |
| 08.089 | 1/2 U.N.C. x 1 1/8 in. long. |
| 08.090 | 1/2 U.N.C. x 1 3/8 in. long. |
| 08.091 | 1/2 U.N.C. x 1 1/2 in. long. |
| 08.092 | 1/2 U.N.C. x 1 5/8 in. long. |
| 08.093 | 1/2 U.N.C. x 2 in. long. |
| 08.094 | 1/2 U.N.C. x 2 1/8 in. long. |
| 08.095 | 1/2 U.N.C. x 2 1/2 in. long. |
| 08.096 | 1/2 U.N.C. x 2 3/8 in. long. |
| 08.097 | 1/2 U.N.C. x 2 3/4 in. long. |
| 08.098 | 1/2 U.N.C. x 2 7/8 in. long. |
| 08.099 | 1/2 U.N.C. x 3 in. long. |
| 08.100 | 1/2 U.N.C. x 3 1/4 in. long. |
| 08.101 | 1/2 U.N.C. x 3 3/4 in. long. |
| 08.102 | 1/2 U.N.C. x 4 in. long. |
| 08.103 | 1/2 U.N.C. x 4 1/4 in. long. |
| 08.104 | 1/2 U.N.C. x 4 1/2 in. long. |
| 08.105 | 1/2 U.N.C. x 4 3/4 in. long. |
| 08.106 | 1/2 U.N.C. x 5 in. long. |
| 08.107 | 1/2 U.N.C. x 5 1/4 in. long. |
| 08.108 | 1/2 U.N.C. x 5 1/2 in. long. |
| 08.109 | 1/2 U.N.C. x 5 3/4 in. long. |
| 08.110 | 1/2 U.N.C. x 6 in. long. |
| 08.111 | 5/8 U.N.C. x 1 in. long. |
| 08.112 | 5/8 U.N.C. x 1 1/4 in. long. |
| 08.113 | 5/8 U.N.C. x 1 1/2 in. long. |
| 08.114 | 5/8 U.N.C. x 1 3/4 in. long. |
| 08.115 | 5/8 U.N.C. x 2 1/4 in. long. |
| 08.116 | 5/8 U.N.C. x 2 1/2 in. long. |
| 08.117 | 5/8 U.N.C. x 2 3/4 in. long. |
| 08.118 | 5/8 U.N.C. x 2 7/8 in. long. |
| 08.119 | 5/8 U.N.C. x 3 1/4 in. long. |
| 08.120 | 5/8 U.N.C. x 3 3/4 in. long. |
| 08.121 | 5/8 U.N.C. x 4 in. long. |
| 08.122 | 5/8 U.N.C. x 4 1/4 in. long. |
| 08.123 | 5/8 U.N.C. x 4 1/2 in. long. |
| 08.124 | 5/8 U.N.C. x 4 3/4 in. long. |
| 08.125 | 5/8 U.N.C. x 5 in. long. |
| 08.126 | 5/8 U.N.C. x 5 1/4 in. long. |
| 08.127 | 5/8 U.N.C. x 5 1/2 in. long. |
| 08.128 | 5/8 U.N.C. x 5 3/4 in. long. |
| 08.129 | 5/8 U.N.C. x 6 in. long. |
| 08.130 | 3/4 U.N.C. x 1 in. long. |
| 08.131 | 3/4 U.N.C. x 1 1/4 in. long. |
| 08.132 | 3/4 U.N.C. x 1 1/2 in. long. |

Section 08 continued

| Part ref. | |
|-----------|------------------------------|
| 08.133 | 3/4 U.N.C. x 1 1/4 in. long. |
| 08.134 | 3/4 U.N.C. x 2 in. long. |
| 08.135 | 3/4 U.N.C. x 2 1/4 in. long. |
| 08.136 | 3/4 U.N.C. x 2 1/2 in. long. |
| 08.137 | 3/4 U.N.C. x 2 3/4 in. long. |
| 08.138 | 3/4 U.N.C. x 3 in. long. |
| 08.139 | 3/4 U.N.C. x 3 1/4 in. long. |
| 08.140 | 3/4 U.N.C. x 3 1/2 in. long. |
| 08.141 | 3/4 U.N.C. x 3 3/4 in. long. |
| 08.142 | 3/4 U.N.C. x 4 in. long. |
| 08.143 | 3/4 U.N.C. x 4 1/4 in. long. |
| 08.144 | 3/4 U.N.C. x 4 1/2 in. long. |
| 08.145 | 3/4 U.N.C. x 4 3/4 in. long. |
| 08.146 | 3/4 U.N.C. x 5 in. long. |
| 08.147 | 3/4 U.N.C. x 5 1/4 in. long. |
| 08.148 | 3/4 U.N.C. x 5 1/2 in. long. |
| 08.149 | 3/4 U.N.C. x 5 3/4 in. long. |
| 08.150 | 3/4 U.N.C. x 6 in. long. |
| 08.151 | 7/8 U.N.C. x 1 1/2 in. long. |
| 08.152 | 7/8 U.N.C. x 1 3/4 in. long. |
| 08.153 | 7/8 U.N.C. x 2 in. long. |
| 08.154 | 7/8 U.N.C. x 2 1/4 in. long. |
| 08.155 | 7/8 U.N.C. x 2 1/2 in. long. |
| 08.156 | 7/8 U.N.C. x 2 3/4 in. long. |
| 08.157 | 7/8 U.N.C. x 3 in. long. |
| 08.158 | 7/8 U.N.C. x 3 1/4 in. long. |
| 08.159 | 7/8 U.N.C. x 3 1/2 in. long. |
| 08.160 | 7/8 U.N.C. x 3 3/4 in. long. |
| 08.161 | 7/8 U.N.C. x 4 in. long. |
| 08.162 | 7/8 U.N.C. x 4 1/4 in. long. |
| 08.163 | 7/8 U.N.C. x 4 1/2 in. long. |
| 08.164 | 7/8 U.N.C. x 4 3/4 in. long. |
| 08.165 | 7/8 U.N.C. x 5 in. long. |
| 08.166 | 7/8 U.N.C. x 5 1/4 in. long. |
| 08.167 | 7/8 U.N.C. x 5 1/2 in. long. |
| 08.168 | 7/8 U.N.C. x 5 3/4 in. long. |
| 08.169 | 7/8 U.N.C. x 6 in. long. |

Section 09
Brake Shoes

| Part Ref. | |
|-----------|---------------------------------|
| 09.997 | 4 in. dia. for 6 in. lathe. |
| 09.998 | 5 in. dia. for 7 1/2 in. lathe. |
| 09.999 | 6 in. dia. for 8 1/2 in. lathe. |

Section 10
Bushes

| Part Ref. | |
|-----------|-------------------------|
| 10.035 | GH38 x 2 in. long. |
| 10.909 | FCT 211 x 5/8 in. long. |
| 10.910 | CT51 x 7/8 in. long. |
| 10.911 | CT10 x 3/4 in. long. |
| 10.912 | CT174 x 1/2 in. long. |
| 10.913 | CT174 x 5/8 in. long. |
| 10.914 | BS2 x 1 1/2 in. long. |
| 10.915 | CT174 x 3/4 in. long. |
| 10.916 | CT56 x 3/4 in. long. |
| 10.917 | CT174 x 1 in. long. |
| 10.918 | CT175 x 3/4 in. long. |
| 10.919 | CT175 x 1 1/4 in. long. |
| 10.920 | CT18 x 5/8 in. long. |
| 10.921 | CT15 x 5/8 in. long. |
| 10.922 | CT15 x 1 1/16 in. long. |
| 10.960 | CT18 x 3/4 in. long. |
| 10.924 | CT15 x 1 3/16 in. long. |
| 10.925 | CT15 x 1 5/16 in. long. |
| 10.926 | CT18 x 1 1/2 in. long. |
| 10.927 | CT15 x 1 1/4 in. long. |
| 10.928 | CT30 x 1 1/4 in. long. |
| 10.929 | BS15 x 1 in. long. |
| 10.930 | BS69 x 3/4 in. long. |
| 10.931 | BS69 x 1 5/16 in. long. |
| 10.932 | BS69 x 1 in. long. |

Section 10 continued

| Part Ref. | |
|-----------|-----------------------------------|
| 10.933 | BS69 x $1\frac{13}{16}$ in. long. |
| 10.934 | BS68 x $\frac{7}{16}$ in. long. |
| 10.935 | BS69 x $\frac{9}{16}$ in. long. |
| 10.936 | BS68 x $\frac{3}{4}$ in. long. |
| 10.937 | BS68 x $1\frac{1}{4}$ in. long. |
| 10.938 | BS69 x $\frac{7}{8}$ in. long. |
| 10.939 | BS68 x $1\frac{1}{8}$ in. long. |
| 10.940 | BS68 x $1\frac{3}{4}$ in. long. |
| 10.941 | BS2 x $\frac{5}{8}$ in. long. |
| 10.942 | FBS78 x $1\frac{3}{8}$ in. long. |
| 10.943 | BS2 x $1\frac{7}{16}$ in. long. |
| 10.944 | BS51 x 2 in. long. |
| 10.945 | BS2 x $\frac{7}{8}$ in. long. |
| 10.946 | GH6 x $\frac{7}{8}$ in. long. |
| 10.947 | BS68 x 2 in. long. |
| 10.948 | BS92 x $\frac{3}{4}$ in. long. |
| 10.949 | BS92 x 1 in. long. |
| 10.950 | BS92 x $1\frac{3}{16}$ in. long. |
| 10.951 | BS105 x $1\frac{9}{16}$ in. long. |
| 10.952 | CT15 x $\frac{3}{4}$ in. long. |
| 10.953 | CT15 x 1 in. long. |
| 10.954 | CT18 x 1 in. long. |
| 10.955 | CT18 x $1\frac{1}{4}$ in. long. |
| 10.956 | CT18 x $1\frac{3}{8}$ in. long. |
| 10.957 | CT40 x $\frac{7}{8}$ in. long. |
| 10.958 | CT40 x $1\frac{1}{4}$ in. long. |
| 10.959 | CT172 x $\frac{3}{8}$ in. long. |
| 10.923 | CT176 x $\frac{5}{8}$ in. long. |
| 10.961 | CT272 x $\frac{3}{4}$ in. long. |
| 10.962 | FBS233 x $\frac{5}{8}$ in. long. |
| 10.963 | FBS295 x $1\frac{1}{8}$ in. long. |
| 10.964 | FCT29 x $\frac{9}{16}$ in. long. |
| 10.965 | FCT60 x $\frac{1}{2}$ in. long. |
| 10.966 | FCT73 x $\frac{3}{8}$ in. long. |
| 10.967 | FCT103 x $\frac{3}{4}$ in. long. |
| 10.968 | FCTSA x $\frac{5}{8}$ in. long. |
| 10.969 | FGH40A x $1\frac{3}{8}$ in. long. |
| 10.970 | FGH40A x $1\frac{3}{4}$ in. long. |
| 10.971 | GH6 x $1\frac{1}{8}$ in. long. |
| 10.973 | GH53 x $1\frac{1}{2}$ in. long. |
| 10.974 | FCT201 x $\frac{7}{8}$ in. long. |
| 10.975 | BS2 x $1\frac{9}{16}$ in. long. |

Section 11
Circlips - External

| Part ref. | |
|-----------|---|
| 11.172 | 72 m/m (2.834) Anderton type 1400. |
| 11.727 | $\frac{1}{8}$ dia. Anderton type 1400. |
| 11.728 | $\frac{3}{16}$ dia. Anderton type 1400. |
| 11.729 | $\frac{1}{4}$ dia. Anderton type 1400. |
| 11.730 | $\frac{5}{16}$ dia. Anderton type 1400. |
| 11.731 | $\frac{3}{8}$ dia. Anderton type 1500 E303. |
| 11.732 | $1\frac{1}{4}$ dia. Anderton type 1400. |
| 11.733 | $1\frac{5}{16}$ dia. Anderton type 1400. |
| 11.734 | $\frac{7}{16}$ dia. Anderton type 1400. |
| 11.735 | $\frac{15}{32}$ dia. Anderton type 1500. E 380. |
| 11.736 | $\frac{1}{2}$ dia. Anderton type 1400. |
| 11.737 | $\frac{1}{2}$ dia. Anderton type 1500. E396. |
| 11.738 | $\frac{3}{8}$ dia. Anderton type 1400. |
| 11.739 | $1\frac{3}{8}$ dia. Anderton type 1400. |
| 11.740 | $\frac{1}{2}$ dia. Seeger. |
| 11.741 | $\frac{9}{16}$ dia. Anderton type 1400. |
| 11.742 | $1\frac{7}{16}$ dia. Anderton type 1400. |
| 11.743 | $\frac{5}{8}$ in. dia. Anderton type 1400. |
| 11.744 | $1\frac{13}{16}$ dia. Anderton type 1400. |
| 11.745 | $\frac{3}{4}$ dia. Anderton type 1400. |
| 11.746 | $1\frac{1}{2}$ dia. Anderton type 1400. |
| 11.747 | $\frac{3}{4}$ dia. Seeger. |
| 11.748 | $1\frac{3}{16}$ dia. Anderton type 1400. |

Section 11 continued

| Part ref. | |
|-----------|--|
| 11.749 | $\frac{7}{8}$ dia. Anderton type 1400. |
| 11.750 | $1\frac{1}{16}$ dia. Anderton type 1400. |
| 11.751 | $\frac{15}{16}$ dia. Anderton type 1400. |
| 11.752 | $1\frac{3}{16}$ dia. Anderton type 1400. |
| 11.753 | 1 dia. Anderton type 1400. |
| 11.754 | $1\frac{1}{8}$ dia. Anderton type 1400. |
| 11.755 | $1\frac{1}{8}$ dia. Seeger. |
| 11.756 | $1\frac{1}{4}$ dia. Seeger. |
| 11.757 | 2 dia. Anderton type 1400. |
| 11.758 | 58 m/m (2.283) Anderton type 1400. |
| 11.759 | $1\frac{3}{8}$ dia. Anderton type 1400. |
| 11.760 | $1\frac{31}{32}$ dia. Anderton type 1400. |
| 11.761 | $2\frac{1}{16}$ dia. Anderton type 1400. |
| 11.762 | $2\frac{1}{8}$ dia. Anderton type 1400. |
| 11.763 | $2\frac{3}{16}$ dia. Anderton type 1400. |
| 11.764 | $2\frac{1}{4}$ dia. Anderton type 1400. |
| 11.765 | $2\frac{5}{16}$ dia. Anderton type 1400. |
| 11.766 | $2\frac{3}{8}$ dia. Anderton type 1400. |
| 11.767 | $2\frac{7}{16}$ dia. Anderton type 1400. |
| 11.768 | $2\frac{1}{2}$ dia. Anderton type 1400. |
| 11.769 | $2\frac{9}{16}$ dia. Anderton type 1400. |
| 11.770 | $2\frac{3}{8}$ dia. Anderton type 1400. |
| 11.771 | $2\frac{3}{4}$ dia. Anderton type 1400. |
| 11.772 | $2\frac{3}{8}$ dia. Anderton type 1400. |
| 11.773 | $2\frac{15}{16}$ dia. Anderton type 1400. |
| 11.774 | 3 dia. Anderton type 1400. |
| 11.775 | $1\frac{9}{16}$ dia. Anderton type 1400. |
| 11.776 | $\frac{5}{8}$ dia. Anderton type 1500. E485. |
| 11.777 | $\frac{3}{4}$ dia. Anderton type 1500. E580. |
| 11.778 | $5\frac{1}{16}$ dia. Anderton type 1500. E250. |
| 11.779 | $1\frac{11}{16}$ dia. Anderton type 1400. |
| 11.780 | $1\frac{3}{4}$ dia. Anderton type 1400. |
| 11.781 | $1\frac{13}{16}$ dia. Anderton type 1400. |
| 11.782 | $\frac{1}{4}$ dia. Anderton type 1500. E210. |
| 11.783 | $1\frac{7}{8}$ dia. Anderton type 1400. |
| 11.784 | $3\frac{1}{16}$ dia. Anderton type 1400. |
| 11.785 | $3\frac{3}{8}$ dia. Anderton type 1400. |
| 11.786 | $2\frac{3}{16}$ Dia. Anderton type 1400. |
| 11.787 | $3\frac{1}{4}$ dia. Anderton type 1400. |
| 11.788 | $3\frac{3}{8}$ dia. Anderton type 1400. |
| 11.789 | $3\frac{7}{16}$ dia. Anderton type 1400. |
| 11.790 | $3\frac{1}{2}$ dia. Anderton type 1400. |
| 11.791 | $3\frac{9}{16}$ dia. Anderton type 1400. |
| 11.792 | $3\frac{5}{8}$ dia. Anderton type 1400. |
| 11.793 | $3\frac{3}{4}$ dia. Anderton type 1400. |
| 11.794 | $3\frac{13}{16}$ dia. Anderton type 1400. |
| 11.795 | $3\frac{7}{8}$ dia. Anderton type 1400. |
| 11.796 | $3\frac{15}{16}$ dia. Anderton type 1400. |
| 11.797 | 4 dia. Anderton type 1400. |
| 11.798 | $4\frac{1}{8}$ dia. Anderton type 1400. |
| 11.799 | $4\frac{1}{4}$ dia. Anderton type 1400. |
| 11.800 | $4\frac{3}{8}$ dia. Anderton type 1400. |
| 11.801 | $4\frac{1}{2}$ dia. Anderton type 1400. |
| 11.802 | $4\frac{5}{8}$ dia. Anderton type 1400. |
| 11.803 | $4\frac{3}{4}$ dia. Anderton type 1400. |
| 11.804 | $4\frac{7}{8}$ dia. Anderton type 1400. |
| 11.805 | 5 dia. Anderton type 1400. |
| 11.806 | $5\frac{1}{8}$ dia. Anderton type 1400. |
| 11.807 | $5\frac{1}{4}$ dia. Anderton type 1400. |

Section 11 continued

| Part ref. | |
|-----------|---|
| 11.808 | $5\frac{3}{8}$ dia. Anderton type 1400. |
| 11.809 | $5\frac{1}{2}$ dia. Anderton type 1400. |
| 11.810 | $5\frac{5}{8}$ dia. Anderton type 1400. |
| 11.811 | $5\frac{3}{4}$ dia. Anderton type 1400. |
| 11.812 | $5\frac{7}{8}$ dia. Anderton type 1400. |
| 11.813 | 6 dia. Anderton type 1400. |
| 11.814 | $6\frac{1}{8}$ dia. Anderton type 1400. |
| 11.815 | $6\frac{1}{4}$ dia. Anderton type 1400. |
| 11.816 | $6\frac{3}{8}$ dia. Anderton type 1400. |
| 11.817 | $6\frac{1}{2}$ dia. Anderton type 1400. |
| 11.818 | $6\frac{5}{8}$ dia. Anderton type 1400. |
| 11.819 | $6\frac{3}{4}$ dia. Anderton type 1400. |
| 11.820 | $6\frac{7}{8}$ dia. Anderton type 1400. |
| 11.821 | 7 dia. Anderton type 1400. |
| 11.822 | $7\frac{1}{8}$ dia. Anderton type 1400. |
| 11.823 | $7\frac{1}{4}$ dia. Anderton type 1400. |
| 11.824 | $7\frac{5}{16}$ dia. Anderton type 1400. |
| 11.825 | $7\frac{3}{8}$ dia. Anderton type 1400. |
| 11.826 | $7\frac{1}{2}$ dia. Anderton type 1400. |
| 11.827 | $7\frac{3}{4}$ dia. Anderton type 1400. |
| 11.828 | $7\frac{7}{8}$ dia. Anderton type 1400. |
| 11.829 | 8 dia. Anderton type 1400. |
| 11.830 | $1\frac{1}{16}$ dia. Anderton type 1500 E.52. |
| 11.831 | $\frac{3}{32}$ dia. Anderton type 1500 |
| 11.832 | $\frac{3}{32}$ dia. Anderton type 1500 E74A. |
| 11.833 | $\frac{7}{64}$ dia. Anderton type 1500 E79. |
| 11.834 | $\frac{7}{64}$ dia. Anderton type 1500 E79A. |
| 11.835 | $\frac{1}{8}$ dia. Anderton type 1500 E95. |
| 11.836 | $\frac{1}{8}$ dia. Anderton type 1500 E95A. |
| 11.837 | $\frac{9}{64}$ dia. Anderton type 1500 E102. |
| 11.838 | $\frac{9}{64}$ dia. Anderton type 1500 E102A. |
| 11.839 | $\frac{9}{64}$ dia. Anderton type 1500 E105. |
| 11.840 | $\frac{9}{64}$ dia. Anderton type 1500 E110. |
| 11.841 | $\frac{5}{32}$ dia. Anderton type 1500 E116. |
| 11.842 | $\frac{5}{32}$ dia. Anderton type 1500 E116A. |
| 11.843 | $1\frac{11}{64}$ dia. Anderton type 1500 E125. |
| 11.844 | $1\frac{11}{64}$ dia. Anderton type 1500 E125A. |
| 11.845 | $\frac{3}{16}$ dia. Anderton type 1500 E125X. |
| 11.846 | $\frac{3}{16}$ dia. Anderton type 1500 E125XA. |
| 11.847 | $\frac{3}{16}$ dia. Anderton type 1500 E125XB. |
| 11.848 | $\frac{3}{16}$ dia. Anderton type 1500 E147. |
| 11.849 | $\frac{3}{16}$ dia. Anderton type 1500 E147A. |
| 11.850 | $\frac{3}{16}$ dia. Anderton type 1500 E147B. |
| 11.851 | $\frac{7}{32}$ dia. Anderton type 1500 E188. |
| 11.852 | $\frac{1}{4}$ dia. Anderton type 1500 E120A. |
| 11.853 | $\frac{3}{16}$ dia. Anderton type 1500 E250A. |
| 11.854 | $2\frac{11}{64}$ dia. Anderton type 1500 E273. |
| 11.855 | $\frac{7}{16}$ dia. Anderton type 1500 E343. |
| 11.856 | 1 dia. Anderton type 1500 E743 |
| 11.858 | 15 m/m (0.590) Anderton type 1400. |

Section 12
Circlips – Internal

| Part Ref. | |
|-----------|------------------------------------|
| 12.170 | 72 m/m (2.834) Seeger. |
| 12.753 | ¼ dia. Anderton type 1300. |
| 12.754 | 5/16 dia. Anderton type 1300. |
| 12.755 | 3/8 dia. Anderton type 1300. |
| 12.756 | 7/16 dia. Anderton type 1300. |
| 12.757 | ½ dia. Anderton type 1300. |
| 12.758 | 9/16 dia. Anderton type 1300. |
| 12.759 | 5/8 dia. Anderton type 1300. |
| 12.760 | 11/16 dia. Anderton type 1300. |
| 12.761 | ¾ dia. Anderton type 1300. |
| 12.762 | 13/16 dia. Anderton type 1300. |
| 12.763 | ¾ dia. Anderton type 1300. |
| 12.764 | 15/16 dia. Anderton type 1300. |
| 12.765 | 1 dia. Anderton type 1300. |
| 12.766 | 28 m/m (1.102) Anderton type 1300. |
| 12.767 | 40 m/m (1.574) Anderton type 1300. |
| 12.768 | 1 ¼ Dia. Anderton type 1300. |
| 12.769 | 52 m/m (2.047) Anderton type 1300. |
| 12.770 | 80 m/m (3.150) Anderton type 1300. |
| 12.771 | 83 m/m (3.267) Seeger. |
| 12.772 | 4 dia. Anderton type 1300. |
| 12.773 | 3.464 dia. Anderton type 1300. |
| 12.774 | 2 5/8 dia. Anderton type 1300. |
| 12.775 | 1 15/16 dia. Anderton type 1300. |
| 12.776 | 1 ½ dia. Anderton type 1300. |
| 12.777 | 1 5/16 dia. Anderton type 1300. |
| 12.778 | 1 ¼ dia. Anderton type 1300. |
| 12.779 | 1 5/16 dia. Anderton type 1300. |
| 12.780 | 1 3/8 dia. Anderton type 1300. |
| 12.781 | 1 1/16 dia. Anderton type 1300. |
| 12.782 | 1 ½ dia. Anderton type 1300. |
| 12.783 | 1 9/16 dia. Anderton type 1300. |
| 12.784 | 1 5/8 dia. Anderton type 1300. |
| 12.785 | 1 11/16 dia. Anderton type 1300. |
| 12.786 | 1 ¼ dia. Anderton type 1300. |
| 12.787 | 1 13/16 dia. Anderton type 1300. |
| 12.788 | 1 15/16 dia. Anderton type 1300. |
| 12.789 | 2 dia. Anderton type 1300. |
| 12.790 | 2 1/16 dia. Anderton type 1300. |
| 12.791 | 2 3/16 dia. Anderton type 1300. |
| 12.792 | 2 ¼ dia. Anderton type 1300. |
| 12.793 | 2 5/16 dia. Anderton type 1300. |
| 12.794 | 2 3/8 dia. Anderton type 1300. |
| 12.795 | 2 7/16 dia. Anderton type 1300. |
| 12.796 | 2 ½ dia. Anderton type 1300. |
| 12.797 | 2 9/16 dia. Anderton type 1300. |
| 12.798 | 2 5/8 dia. Anderton type 1300. |
| 12.799 | 2 11/16 dia. Anderton type 1300. |
| 12.800 | 2 ¾ dia. Anderton type 1300. |
| 12.801 | 2 13/16 dia. Anderton type 1300. |
| 12.802 | 2 7/8 dia. Anderton type 1300. |
| 12.803 | 2 15/16 dia. Anderton type 1300. |
| 12.804 | 3 dia. Anderton type 1300. |

Section 12 continued

| Part Ref. | |
|-----------|----------------------------------|
| 12.805 | 3 1/16 dia. Anderton type 1300. |
| 12.806 | 3 3/8 dia. Anderton type 1300. |
| 12.807 | 3 3/16 dia. Anderton type 1300. |
| 12.808 | 3 ¼ dia. Anderton type 1300. |
| 12.809 | 3 5/8 dia. Anderton type 1300. |
| 12.810 | 3 7/16 dia. Anderton type 1300. |
| 12.811 | 3 ½ dia. Anderton type 1300. |
| 12.812 | 3 7/16 dia. Anderton type 1300. |
| 12.813 | 3 5/8 dia. Anderton type 1300. |
| 12.814 | 3 ¾ dia. Anderton type 1300. |
| 12.815 | 3 13/16 dia. Anderton type 1300. |
| 12.816 | 3 7/8 dia. Anderton type 1300. |
| 12.817 | 3 15/16 dia. Anderton type 1300. |
| 12.818 | 4 3/8 dia. Anderton type 1300. |
| 12.819 | 4 ¼ dia. Anderton type 1300. |
| 12.820 | 4 3/8 dia. Anderton type 1300. |
| 12.821 | 4 ½ dia. Anderton type 1300. |
| 12.822 | 4 5/8 dia. Anderton type 1300. |
| 12.823 | 4 ¾ dia. Anderton type 1300. |
| 12.824 | 4 7/8 dia. Anderton type 1300. |
| 12.825 | 5 dia. Anderton type 1300. |
| 12.826 | 5 5/8 dia. Anderton type 1300. |
| 12.827 | 5 ¼ dia. Anderton type 1300. |
| 12.828 | 5 3/8 dia. Anderton type 1300. |
| 12.829 | 5 ½ dia. Anderton type 1300. |
| 12.830 | 5 5/8 dia. Anderton type 1300. |
| 12.831 | 5 ¾ dia. Anderton type 1300. |
| 12.832 | 5 7/8 dia. Anderton type 1300. |
| 12.833 | 6 dia. Anderton type 1300. |

Section 13
Circlips – Miscellaneous

| Part Ref. | |
|-----------|--|
| 13.190 | Anderton Ref. E359. |
| 13.732 | 3/8 dia. Anderton type 700/37A. Ext. |
| 13.733 | 3/8 dia. Anderton type 500/37. Ext. |
| 13.734 | Anderton Ref. E468. |
| 13.736 | RS62. (Spirolox). |
| 13.739 | Salter Bowed Ext. type 5101/60. |
| 13.742 | 9/16 dia. Salter Bowed Ext. type 5101/56. |
| 13.746 | Anderton type 1500/E520 Ext. |
| 13.779 | No.62 Anderton type 10000 Ext. |
| 13.780 | 5/8 dia. Anderton type 700 62A Ext. |
| 13.781 | 5/8 dia. Salter Crescent 5103-62 Ext. |
| 13.783 | .437 dia. Anderton type 1400. |
| 13.784 | Anderton 1500 E 468 'E' type. |
| 13.785 | 2 1/16 dia. Salter Bevelled type 5002/206 Int. |
| 13.786 | Anderton type 1200 Size 8 Int. |
| 13.787 | Salter 15/16 Ext type 5100/93. |

Section 14
Spring Dowels

| Part Ref. | |
|-----------|-------------------------|
| 14.104 | 1/8 dia. x 3/4 in. long |
| 14.125 | ¼ dia. x 1 ½ in. long. |
| 14.131 | ¼ dia. x 1 in. long. |
| 14.135 | 1/8 dia. x ½ in. long. |

Section 14 continued

| Part ref. | |
|-----------|------------------------------|
| 14.144 | 3/16 dia. x 1 ¼ in. long. |
| 14.599 | 5/16 dia. x 1 3/8 in. long. |
| 14.600 | 3/32 dia. x 5/16 in. long. |
| 14.601 | 3/32 dia. x 5/8 in. long. |
| 14.602 | 5/32 dia. x 3/8 in. long. |
| 14.603 | 5/32 dia. x ½ in. long. |
| 14.604 | 3/16 dia. x ½ in. long. |
| 14.605 | 3/16 dia. x ¾ in. long. |
| 14.606 | 3/16 dia. x 7/8 in. long. |
| 14.607 | 3/16 dia. x 1 5/16 in. long. |
| 14.608 | ¼ dia. x 2 5/8 in. long. |
| 14.609 | ¼ dia. x 1 ¾ in. long. |
| 14.610 | 3/32 dia. x ¼ in. long. |
| 14.611 | 3/32 dia x 3/8 in. long. |
| 14.612 | 3/32 dia. x 7/16 in. long. |
| 14.613 | 3/32 dia. x ½ in. long. |
| 14.614 | 3/32 dia. x 9/16 in. long. |
| 14.615 | 3/32 dia. x 1 1/16 in. long. |
| 14.616 | 3/32 dia. x ¾ in. long. |
| 14.617 | 3/32 dia. x 1 3/16 in. long. |
| 14.618 | 3/32 dia. x 7/8 in. long. |
| 14.619 | 3/32 dia. x 1 5/16 in. long. |
| 14.620 | 3/32 dia. x 1 in. long. |
| 14.621 | 1/8 dia. x 3/8 in. long. |
| 14.622 | 1/8 dia. x 7/16 in. long. |
| 14.624 | 1/8 dia. x 9/16 in. long. |
| 14.625 | 1/8 dia. x 5/8 in. long. |
| 14.626 | 1/8 dia. x 1 1/16 in. long. |
| 14.628 | 1/8 dia. x 1 3/16 in. long. |
| 14.629 | 1/8 dia. x 7/8 in. long. |
| 14.630 | 1/8 dia. x 1 5/16 in. long. |
| 14.631 | 1/8 dia. x 1 in. long. |
| 14.632 | 1/8 dia. x 1 1/8 in. long. |
| 14.633 | 1/8 dia. x 1 ¼ in. long. |
| 14.634 | 3/8 dia. x 1 3/8 in. long. |
| 14.635 | 1/8 dia. x 1 ½ in. long. |
| 14.636 | 5/32 dia. x 9/16 in. long. |
| 14.637 | 5/32 dia. x 5/8 in. long. |
| 14.638 | 5/32 dia. x 1 1/16 in. long. |
| 14.639 | 5/32 dia. x ¾ in. long. |
| 14.640 | 5/32 dia. x 1 3/16 in. long. |
| 14.641 | 5/32 dia. x 7/8 in. long. |
| 14.642 | 5/32 dia. x 1 5/16 in. long. |
| 14.643 | 5/32 dia. x 1 in. long. |
| 14.644 | 5/32 dia. x 1 1/8 in. long. |
| 14.645 | 5/32 dia. x 1 ¼ in. long. |
| 14.646 | 5/32 dia. x 1 3/8 in. long. |
| 14.647 | 5/32 dia. x 1 ½ in. long. |
| 14.648 | 5/16 dia. x 9/16 in. long. |
| 14.649 | 3/16 dia. x 5/8 in. long. |
| 14.650 | 3/16 dia. x 1 1/16 in. long. |
| 14.651 | 3/16 dia. x 1 3/16 in. long. |
| 14.652 | 3/16 dia. x 1 in. long. |
| 14.653 | 3/16 dia. x 1 1/8 in. long. |
| 14.655 | 3/16 dia. x 1 3/8 in. long. |
| 14.656 | 3/16 dia. x 1 ½ in. long. |
| 14.657 | 7/32 dia. x 3/4 in. long. |
| 14.658 | 7/32 dia. x 7/8 in. long. |
| 14.659 | 7/32 dia. x 1 in. long. |
| 14.660 | 7/32 dia. x 1 1/8 in. long. |
| 14.661 | 7/32 dia. x 1 ¼ in. long. |
| 14.662 | 7/32 dia. x 1 3/8 in. long. |
| 14.663 | 7/32 dia. x 1 ½ in. long. |
| 14.664 | ¼ dia. x 3/4 in. long. |
| 14.665 | ¼ dia. x 7/8 in. long. |
| 14.667 | ¼ dia. x 1 1/8 in. long. |
| 14.668 | ¼ dia. x 1 ¼ in. long. |
| 14.669 | ¼ dia. x 1 3/8 in. long. |
| 14.671 | ¼ dia. x 1 5/8 in. long. |
| 14.672 | ¼ dia. x 1 7/8 in. long. |
| 14.673 | ¼ dia. x 2 in. long. |
| 14.674 | ¼ dia. x 2 1/8 in. long. |
| 14.675 | ¼ dia. x 2 ¼ in. long. |
| 14.676 | ¼ dia. x 2 3/8 in. long. |
| 14.677 | ¼ dia. x 2 ½ in. long. |
| 14.678 | ¼ dia. x 2 ¾ in. long. |
| 14.679 | 5/16 dia. x 3/4 in. long. |

Section 14 continued

| Part Ref. | |
|-----------|--|
| 14.680 | $\frac{5}{16}$ dia. x $\frac{7}{8}$ in. long. |
| 14.681 | $\frac{5}{16}$ dia. x 1 in. long. |
| 14.682 | $\frac{5}{16}$ dia. x $1\frac{1}{4}$ in. long. |
| 14.683 | $\frac{5}{16}$ dia. x $1\frac{1}{2}$ in. long. |
| 14.684 | $\frac{5}{16}$ dia. x $1\frac{1}{2}$ in. long. |
| 14.685 | $\frac{5}{16}$ dia. x $1\frac{3}{8}$ in. long. |
| 14.686 | $\frac{5}{16}$ dia. x $2\frac{1}{2}$ in. long. |
| 14.687 | $\frac{5}{16}$ dia. x $1\frac{7}{8}$ in. long. |
| 14.688 | $\frac{5}{16}$ dia. x 2 in. long. |
| 14.689 | $\frac{5}{16}$ dia. x $2\frac{1}{4}$ in. long. |
| 14.690 | $\frac{5}{16}$ dia. x $2\frac{1}{2}$ in. long. |
| 14.691 | $\frac{3}{8}$ dia. x $\frac{3}{4}$ in. long. |
| 14.692 | $\frac{3}{8}$ dia. x $\frac{7}{8}$ in. long. |
| 14.693 | $\frac{3}{8}$ dia. x 1 in. long. |
| 14.694 | $\frac{3}{8}$ dia. x $1\frac{1}{8}$ in. long. |
| 14.695 | $\frac{3}{8}$ dia. x $1\frac{1}{4}$ in. long. |
| 14.696 | $\frac{3}{8}$ dia. x $1\frac{3}{8}$ in. long. |
| 14.697 | $\frac{3}{8}$ dia. x $1\frac{1}{2}$ in. long. |
| 14.698 | $\frac{3}{8}$ dia. x $1\frac{3}{4}$ in. long. |
| 14.699 | $\frac{3}{8}$ dia. x $1\frac{3}{4}$ in. long. |
| 14.700 | $\frac{3}{8}$ dia. x $1\frac{7}{8}$ in. long. |
| 14.701 | $\frac{3}{8}$ dia. x 2 in. long. |
| 14.702 | $\frac{3}{8}$ dia. x $2\frac{1}{4}$ in. long. |
| 14.703 | $\frac{3}{8}$ dia. x $2\frac{1}{2}$ in. long. |

Section 15

Electrical - Miscellaneous

| Part Ref. | |
|-----------|---|
| 15.084 | 5 amp Slydlok fuse & holder. |
| 15.090 | 9v $1\frac{1}{2}$ amp screw type bulb. |
| 15.091 | 1-1 Bulgin. LES Mod. lamp-holder. |
| 15.101 | Low volt plug socket. |
| 15.149 | A.E.I. 'T' junction $\frac{3}{4}$ in. conduit thrd. type. |

**Section 16
Handles - Plastic**

| Part Ref. | |
|-----------|---|
| 16.841 | $\frac{3}{8}$ bore x $2\frac{1}{2}$ in. long. |
| 16.842 | $\frac{3}{8}$ bore x 3 in. long. cream. |
| 16.843 | $1\frac{3}{4}$ dia. x $1\frac{11}{16}$ cream. |
| 16.844 | $\frac{3}{8}$ bore x 3 in. long black. |
| 16.845 | $\frac{1}{2}$ bore x $1\frac{3}{4}$ in. long cream. |
| 16.846 | $\frac{1}{2}$ bore x $1\frac{3}{4}$ in. long black. |
| 16.847 | $1\frac{11}{16}$ bore x 4 in. long. |
| 16.848 | $1\frac{3}{4}$ dia. x 4 in. long. |
| 16.849 | $1\frac{3}{4}$ dia. x $1\frac{11}{16}$ long black. |

**Section 17
Keys**

| Part Ref. | |
|-----------|--|
| 17.001 | No.3 Woodruff. |
| 17.002 | No.9 Woodruff. |
| 17.003 | No.15 Woodruff. |
| 17.004 | No.21 Woodruff. |
| 17.005 | Letter 'B' Woodruff. |
| 17.006 | $\frac{1}{4}$ x $\frac{1}{4}$ x 1 in. long Feather Key. |
| 17.007 | $\frac{1}{4}$ sq. x $1\frac{1}{4}$ in. long sq. Key. |
| 17.008 | Letter 'D' Woodruff. |
| 17.009 | $\frac{1}{4}$ x $\frac{1}{4}$ x $1\frac{1}{4}$ in. long. |
| 17.010 | No.5 Woodruff. |
| 17.011 | No.7 Woodruff. |
| 17.012 | No.11 Woodruff. |
| 17.013 | No.18 Woodruff. |
| 17.014 | No.22 Woodruff. |
| 17.015 | No.24 Woodruff. |
| 17.016 | No.155 Woodruff. |
| 17.017 | Letter 'A' Woodruff. |
| 17.018 | Letter 'C' Woodruff. |
| 17.019 | Letter 'E' Woodruff. |
| 17.020 | Letter 'F' Woodruff. |
| 17.021 | Letter 'G' Woodruff. |

Section 17 continued

| Part Ref. | |
|-----------|---|
| 17.023 | $\frac{3}{16}$ x $\frac{3}{16}$ x $1\frac{3}{4}$ plain. |
| 17.024 | $\frac{1}{4}$ x $\frac{1}{4}$ x $2\frac{1}{2}$ plain. |
| 17.025 | $\frac{5}{16}$ x $\frac{5}{16}$ x 3 plain. |
| 17.026 | $\frac{5}{16}$ x $\frac{3}{8}$ x $3\frac{1}{4}$ in. plain |
| 17.027 | $\frac{3}{8}$ x $\frac{1}{4}$ x $3\frac{1}{4}$ plain. |
| 17.028 | $\frac{7}{16}$ x $\frac{3}{8}$ x $3\frac{1}{2}$ plain. |
| 17.029 | $\frac{3}{16}$ x $\frac{7}{16}$ x $\frac{3}{4}$ round end. |
| 17.030 | $\frac{1}{4}$ x $\frac{5}{16}$ x $1\frac{1}{2}$ round end. |
| 17.031 | $\frac{3}{4}$ x .283 x 1.885 Woodruff. |
| 17.032 | $\frac{3}{16}$ x $\frac{1}{2}$ Special. |
| 17.033 | $1\frac{1}{4}$ x $\frac{3}{8}$ x $1\frac{1}{4}$ Special. |
| 17.059 | $\frac{3}{16}$ x $\frac{3}{16}$ x $1\frac{1}{4}$ in. long. Feather Key. |

**Section 18
Knobs - Plastic**

| Part Ref. | |
|-----------|--|
| 18.145 | $1\frac{1}{4}$ dia. x $\frac{3}{8}$ U.N.C. Red. |
| 18.830 | $1\frac{1}{2}$ dia. x $\frac{7}{16}$ U.N.C. Black. |
| 18.831 | $1\frac{1}{2}$ dia. x $\frac{7}{16}$ U.N.C. Red. |
| 18.832 | $1\frac{1}{2}$ x dia. x $\frac{3}{8}$ U.N.C. Red. |
| 18.833 | $1\frac{1}{2}$ dia. x $\frac{5}{16}$ U.N.C. Red. |
| 18.834 | $1\frac{1}{4}$ dia. x $\frac{7}{16}$ U.N.C. Red. |
| 18.835 | $1\frac{1}{4}$ dia. x $\frac{7}{16}$ U.N.C. Black. |
| 18.836 | $1\frac{1}{4}$ dia. x $\frac{3}{8}$ U.N.C. Black. |
| 18.837 | $1\frac{1}{4}$ dia. x $\frac{3}{8}$ U.N.C. Cream. |
| 18.838 | 1 dia. x $\frac{3}{8}$ U.N.C. Black. |
| 18.839 | 1 dia. x $\frac{3}{8}$ U.N.C. Cream. |
| 18.840 | $\frac{3}{4}$ dia. x $\frac{1}{4}$ U.N.C. Black. |
| 18.841 | Reverse and two speed switch knob. |
| 18.843 | $1\frac{1}{4}$ dia. x $\frac{7}{16}$ U.N.C. Transparent. |
| 18.844 | $1\frac{1}{2}$ dia. x $\frac{1}{2}$ U.N.C. Transparent. |
| 18.845 | $1\frac{3}{4}$ dia. x $\frac{3}{8}$ U.N.C. Red. |

**Section 19
Motors**

| Part Ref. | |
|-----------|---|
| 19.001 | A.E.I. 1hp 190/210/346/380/3/50. BK.2410c. Speed 1400-1730. |
| 19.003 | A.E.I. 1hp 220/240/380/440/3/50. BK.2410c. Speed 1400-1730. |
| 19.004 | A.E.I. 1hp 220/240/50 BC. 3014. Speed 1400-1730. |
| 19.005 | A.E.I. 1hp 290/320/500/550/3/50/60. BK.2410c. |
| 19.006 | A.E.I. 1hp 500/550/3/50/60. BK.3210c. Speed 1400-1730. |
| 19.007 | L.D.C. $1\frac{1}{2}$ hp 200/220/1/50. R3K4. Speed 1400. |
| 19.008 | L.D.C. $1\frac{1}{2}$ hp 230/250/1/50. R3K4. Speed 1420. |
| 19.009 | L.D.C. 2hp 200/220/1/50. DP3R3K. Speed 1400. |
| 19.010 | L.D.C. 2hp 230/250/1/50. DP3R3K. Speed 1400. |
| 19.011 | L.D.C. 2hp 230/250/1/50. DP3R3J. Speed 1400-1730. |
| 19.012 | L.D.C. 3hp 190/220/3/50/60. Frame AC184. |
| 19.013 | L.D.C. 3hp 200/220/346/380/3/50. Frame A2W. Speed 1400. |
| 19.014 | L.D.C. 3hp 208/220/3/60. Frame AC184. Speed 1730. |
| 19.015 | L.D.C. 3hp 220/3/60 Frame AC184. NEMA. |
| 19.016 | L.D.C. 3hp 220/346/380/3/60. Frame AC184. |

Section 19 continued

| Part Ref. | |
|-----------|---|
| 19.017 | Brook 3hp 220/440/3/60. Frame 225-4R. Speed 1800. |
| 19.018 | L.D.C. 3hp 230/250/400/440/3/50. Frame A2W. Speed 1400. |
| 19.019 | L.D.C. 3hp 230/250/400/400/3/50/60- Frame AC 184. |
| 19.020 | L.D.C. 3hp 260/280/3/50. Frame A2W. Speed 1400. |
| 19.021 | L.D.C. 3hp 400/3/60. Frame AC184. CSA. |
| 19.022 | L.D.C. 3hp _R 500/550/3/50. Frame A2W. |
| 19.023 | L.D.C. 3hp 550/3/50. Frame AC184. |
| 19.024 | L.D.C. 3hp 550/3/60. Frame AA215. Speed 1720. |
| 19.025 | L.D.C. 3hp 550/3/60. Frame AC184. CSA. |
| 19.026 | L.D.C. 3hp 550/3/60. Frame A3K. Speed 1720. |
| 19.027 | L.D.C. 5hp 200/220/346/380/3/50. Frame AC184. Speed 1400. |
| 19.028 | Brook 5hp 220/440/3/60. Frame 215-4R. Speed 1800. |
| 19.029 | L.D.C. 5hp 230/250/400/440/3/50. Frame AC184. Speed 1440. |
| 19.030 | L.D.C. 5hp 500/550/3/50. Frame AC184/5. Speed 1420. |
| 19.031 | L.D.C. 5hp 550/3/60. Frame HA215 Speed 1730 . |
| 19.032 | Brook 5hp Speed 950. |
| 19.033 | L.D.C. $7\frac{1}{2}$ hp 200/220/346/380/3/50. Frame HH215 Speed 1440. |
| 19.034 | Brook $7\frac{1}{2}$ hp 220/440/3/60. Frame 254U. Speed 1800. |
| 19.035 | L.D.C. $7\frac{1}{2}$ hp 230/250/400/440/3/50. Frame AA215. Speed 1400. |
| 19.036 | L.D.C. $7\frac{1}{2}$ hp 500/550/3/50, Frame AA.215 |
| 19.037 | L.D.C. $7\frac{1}{2}$ hp 550/3/60. Frame EA8K. Speed 1720. |
| 19.038 | A.E.I. 2/1hp 200/220/50/60. KNX.C164. Speed 2880-1440. |
| 19.039 | A.E.I. 2/1hp 346/50/60. KNX.C164. Speed 2880-1440. |
| 19.040 | A.E.I. 2/1hp 380/420/3/50/60. KNX.C164. Speed 2880/1440. |
| 19.041 | A.E.I. 2/1hp 500/550/50/60. KNX.C164. Speed 2880/1440. |
| 19.042 | Brook 3/1 $\frac{1}{2}$ hp 190/220/3/50. Frame C184. Speed 3000-1500. |
| 19.043 | Brook 3/1 $\frac{1}{2}$ hp 190/220/3/60. Frame C213. Speed 1800-900. |
| 19.044 | Brook 3/1 $\frac{1}{2}$ hp 190/220/3/60. Frame C184. Speed 3600-1800. |
| 19.045 | Brook 3/1 $\frac{1}{2}$ hp 190/220/3/50. Frame C213. Speed 1800-900. |
| 19.046 | Brook 3/1 $\frac{1}{2}$ hp 220/50. Frame C213. Speed 1500-750. |

Section 19 continued

| Part Ref. | |
|-----------|---|
| 19.047 | Newman 3/1½ hp 220/3/60. Frame 215. |
| 19.048 | Brook 3/1½ hp 380/3/50. Frame C215. Speed 1500-750. |
| 19.049 | L.D.C. 3/1½ hp 380/3/50. Frame C184. Speed 3000-1500. |
| 19.050 | Brook 3/1½ hp 400/440/3/50. Frame C213. Speed 1500-750. |
| 19.051 | L.D.C. 3/1½ hp 400/440/3/50. Frame C184. Speed 3000-1500. |
| 19.052 | Brook 3/1½ hp 440/3/60. Frame C215. Speed 1800-900. |
| 19.053 | Brook 3/1½ hp 550/3/60. Frame C213. Speed 1800-900. |
| 19.054 | Brook 3/1½ hp 500/550/50. Frame C213. Speed 1500-750. |
| 19.055 | L.D.C. 3/1½ hp 500/550/3/50. Frame C184. Speed 3000-1500. |
| 19.056 | Brook 5/2½ hp 190/220/3/50. Frame C213. Speed 3000-1500. |
| 19.057 | Brook 5/2½ hp 190/220/3/50. Frame C215. Speed 1500-750. |
| 19.058 | L.D.C. 5/2½ hp 190/220/3/60. Frame C213. Speed 3600-1800 |
| 19.059 | Brook 5/2½ hp 190/220/3/60. Frame C215. Speed 1800-900. |
| 19.060 | Brook 5/2½ hp 220/50. Frame C215. Speed 1500-750. |
| 19.061 | L.D.C. 5/2½ hp 220/3/50. Frame C213. Speed 3000-1500. |
| 19.062 | Brook 5/2½ hp 220/3/60. Frame C254. Speed 1800-900. |
| 19.063 | Brook 5/2½ hp 380/3/50. Frame C215. Speed 1500-750. |
| 19.064 | L.D.C. 5/2½ hp 380/3/50. Frame C213. Speed 3000-1500. |
| 19.065 | L.D.C. 5/2½ hp 380/3/50. Frame C213. Speed 3000-1500. |
| 19.066 | L.D.C. 5/2½ hp 400/440/3/50. Frame C213. Speed 3000-1500. |
| 19.067 | Brook 5/2½ hp 400/440/3/50. Frame C215. Speed 1500-750. |
| 19.068 | Brook 5/2½ hp 440/3/60. Frame 254. Speed 1800-900. |
| 19.069 | Brook 5/2½ hp 500/550/50. Frame C215. Speed 1500-750. |
| 19.070 | Brook 5/2½ hp 500/550/3/50. Speed 3000-1500 |
| 19.071 | Brook 5/2½ hp 500/550/3/50. Frame C184. Speed 3000-1500. |
| 19.072 | Brook 5/2½ hp 550/3/60. Frame 254. Speed 1800-900. |

Section 19 continued

| Part Ref. | |
|-----------|---|
| 19.073 | L.D.C. 8/4 hp 190/220/3/50. Frame C254. Speed 1500-750. |
| 19.074 | Brook 8/4 hp 190/220/3/60. Frame C254. Speed 1800-900. |
| 19.075 | Brook 8/4 hp 220/50. Frame C254. Speed 1500-750. |
| 19.076 | Brook 8/4 hp 220/3/60. Frame 284. Speed 1800-900. |
| 19.077 | Brook 8/4 hp 380/50. Frame C254. Speed 1500-750. |
| 19.078 | Brook 8/4 hp 440/50. Frame. 254C. Speed 1500-750. |
| 19.079 | Brook 8/4 hp 440/3/60. Frame 284. Speed 1800-900. |
| 19.080 | Newman 8/4 hp 550/3/60. Frame 284. Speed 1800-900. |
| 19.081 | Brook 8/4 hp 500/550/3/50. Frame 254. Speed 1500-750. |
| 19.082 | A.E.I. 8/4 hp 220/440/1/60. BC.3014. |
| 19.165 | A.E.I. 1 hp 200/240/380/440. BK2410c. Speed 1400-1730. |
| 19.166 | A.E.I. 2/1 hp 380/420/3/50/60. Frame KNX.C164. |

Section 20
Nuts

| Part Ref. | |
|-----------|--------------------------|
| 20.609 | 10 x 24 T.P.I. Deep Nut. |
| 20.610 | ¼ U.N.C. Deep Nut. |
| 20.611 | ⅝ U.N.C. Deep Nut. |
| 20.612 | ⅜ U.N.C. Deep Nut. |
| 20.613 | 7/16 U.N.C. Deep Nut. |
| 20.614 | ½ U.N.C. Deep Nut. |
| 20.615 | 9/16 U.N.C. Deep Nut. |
| 20.616 | 5/8 U.N.C. Deep Nut. |
| 20.617 | ¾ U.N.C. Deep Nut. |
| 20.618 | 10 x 32 T.P.I. Std.Nut. |
| 20.619 | ¼ U.N.F. Std.Nut. |
| 20.620 | ¼ U.N.C. Std.Nut. |
| 20.621 | ⅝ U.N.C. Std.Nut. |
| 20.622 | ⅜ U.N.C. Std.Nut. |
| 20.623 | 7/16 U.N.C. Std.Nut. |
| 20.624 | ½ U.N.C. Std.Nut. |
| 20.625 | 9/16 U.N.C. Std.Nut. |
| 20.626 | 5/8 U.N.C. Std.Nut. |
| 20.627 | ¾ U.N.C. Std.Nut. |
| 20.628 | 5/16 U.N.F. Std.Nut. |
| 20.629 | ½ U.N.F. Std.Nut. |
| 20.630 | 5/8 U.N.F. Std.Nut. |
| 20.631 | ¾ U.N.F. Std.Nut. |
| 20.632 | 10 x 24 T.P.I. Std.Nut. |
| 20.633 | 7/16 U.N.F. Std.Nut. |
| 20.634 | 9/16 U.N.F. Std.Nut. |
| 20.635 | ¼ U.N.C. Thin Nut. |
| 20.636 | ⅝ U.N.C. Thin Nut. |
| 20.637 | ⅜ U.N.C. Thin Nut. |
| 20.638 | 7/16 U.N.C. Thin Nut. |
| 20.639 | ½ U.N.C. Thin Nut. |
| 20.640 | 9/16 U.N.C. Thin Nut. |
| 20.641 | 5/8 U.N.C. Thin Nut. |
| 20.642 | ¾ U.N.C. Thin Nut. |
| 20.643 | ¾ U.N.F. Std.Nut. |
| 20.644 | ½ U.N.F. Thin Nut. |
| 20.645 | 10 x 24 T.P.I. Thin Nut. |

Section 20 continued

| Part Ref. | |
|-----------|--------------------------|
| 20.646 | 10 x 32 T.P.I. Thin Nut. |
| 20.647 | ¼ U.N.F. Thin Nut. |
| 20.648 | ⅝ U.N.C. Thin Nut. |
| 20.649 | ⅜ U.N.F. Thin Nut. |
| 20.650 | 7/16 U.N.F. Thin Nut. |
| 20.651 | 9/16 U.N.F. Thin Nut. |
| 20.652 | 5/8 U.N.F. Thin Nut. |
| 20.653 | ¾ U.N.F. Thin Nut. |

Section 21
Lock Nuts

| Part Ref. | |
|-----------|---|
| 21.648 | ¼ U.N.F. Std. Lock Nut. |
| 21.649 | ⅝ U.N.F. Std. Lock Nut. |
| 21.650 | ⅜ U.N.F. Std. Lock Nut. |
| 21.651 | 7/16 U.N.F. Std. Lock Nut. |
| 21.652 | ½ U.N.F. Std. Lock Nut. |
| 21.653 | 9/16 U.N.F. Std. Lock Nut. |
| 21.654 | 5/8 U.N.F. Std. Lock Nut. (Nyloc). |
| 21.655 | ¾ U.N.F. Std. Lock Nut. (Nyloc). |
| 21.656 | 7/8 U.N.F. Std Lock Nut. (Simmonds Nyloc NP/D 286). |
| 21.657 | ¼ U.N.F. Thin Nut 'T'. |
| 21.658 | ¼ U.N.C. Std. Lock Nut. |
| 21.659 | ⅝ U.N.C. Std. Lock Nut. (Simmonds Aero). |
| 21.660 | ⅜ U.N.C. Std. Lock Nut. (Simmonds Aero). |
| 21.661 | 7/16 U.N.C. Std. Lock Nut. (Nyloc). |
| 21.662 | ½ U.N.C. Std. Lock Nut. (Nyloc NT/N1166). |
| 21.663 | 7/8 U.N.F. Thin Nut 'T'. |
| 21.664 | 9/16 U.N.C. Std. Lock Nut. |
| 21.665 | 5/8 U.N.C. Std. Lock Nut. |
| 21.666 | ¾ U.N.C. Std. Lock Nut. |
| 21.667 | 7/8 U.N.C. Std. Lock Nut. ('T' NT/N282). |
| 21.670 | 5/16 U.N.F. Thin Nut 'T'. |
| 21.671 | 3/8 U.N.F. Thin Nut 'T'. |
| 21.672 | 7/16 U.N.F. Thin Nut 'T' (Simmonds type NT/D 1146). |
| 21.673 | ½ U.N.F. Thin Nut 'T' (Simmonds type NT/D166) |
| 21.674 | 9/16 U.N.F. Thin Nut 'T'. |
| 21.675 | 5/8 U.N.F. Thin Nut 'T' (Simmonds type NT). |
| 21.676 | ¾ U.N.F. Thin Nut 'T'. |
| 21.677 | ¼ U.N.C. Thin Nut 'T'. |
| 21.678 | 5/16 U.N.C. Thin Nut 'T' (Simmonds type NT/N106). |
| 21.680 | ⅜ U.N.C. Thin Nut 'T'. (Philidas J.U.C.J). |
| 21.682 | 7/16 U.N.C. Thin Nut 'T'. (Simmonds NT/N126). |
| 21.683 | ½ U.N.C. Thin Nut 'T'. (Simmonds NT/N166). |
| 21.684 | 9/16 U.N.C. Thin Nut 'T'. (Simmonds NT/N166). |
| 21.685 | 5/8 U.N.C. Thin Nut 'T'. (Simmonds NT/N206). |
| 21.686 | ¾ U.N.C. Thin Nut 'T'. |
| 21.687 | ½ U.N.F. Lock Nut. (Philidas c/w cap). |

Section 22

Nuts Miscellaneous

| Part Ref. | Description |
|-----------|---|
| 22.146 | 1/4 B.S.F. Nyloc (Simmonds Type 'T'). |
| 22.634 | 3 B.A. Std. Nut. |
| 22.656 | 5/8 U.N.F. Philidas c/w plastic cap QUPF/1. |
| 22.663 | 1/2 U.N.C. Wedglok. |
| 22.668 | 3/8 U.N.C. Nyloc. |
| 22.681 | 5/16 U.N.C. Hex Slotted nut. |
| 22.687 | Spire Clip Nut. (Type SNU. 0530). |
| 22.688 | Vislak Nut. (Type Pat. 1319). |
| 22.689 | 1/4 B.S.W. Stiff Nut. |
| 22.690 | 2 B.A. Thin Nut. |
| 22.691 | 3/8 B.S.F. Nut (Thin). |

Section 23

Oilers

| Part Ref. | Description |
|-----------|-----------------------------------|
| 23.124 | 1/4 Dia. Springwell oil cup. |
| 23.826 | 1/4 B.S.F. Grease Nipple. |
| 23.827 | 1/4 Dia. Garland diaphragm oiler. |
| 23.828 | 5/16 Dia. Winkley oiler. |
| 23.830 | 3/8 Dia. Winkley oiler. |
| 23.831 | 1/4 Dia. Bennet oiler. |

Section 24

Mills Pins

| Part Ref. | Description |
|-----------|-----------------------------------|
| 24.491 | 1/16 Dia. x 3/16 in. long G.P.1. |
| 24.492 | 1/16 Dia. x 1/4 in. long G.P.1. |
| 24.493 | 1/16 Dia. x 5/16 in. long G.P.1. |
| 24.494 | 1/16 Dia. x 3/8 in. long G.P.1. |
| 24.495 | 1/16 Dia. x 7/16 in. long G.P.1. |
| 24.496 | 1/16 Dia. x 1/2 in. long G.P.1. |
| 24.497 | 1/16 Dia. x 9/16 in. long G.P.1. |
| 24.498 | 1/16 Dia. x 5/8 in. long G.P.1. |
| 24.499 | 1/16 Dia. x 11/16 in. long G.P.1. |
| 24.500 | 1/16 Dia. x 3/4 in. long G.P.1. |
| 24.501 | 1/16 Dia. x 13/16 in. long G.P.1. |
| 24.502 | 1/16 Dia. x 7/8 in. long G.P.1. |
| 24.503 | 1/16 Dia. x 15/16 in. long G.P.1. |
| 24.504 | 1/16 Dia. x 1 in. long G.P.1. |
| 24.505 | 3/32 Dia. x 5/16 in. long G.P.1. |
| 24.506 | 3/32 Dia. x 3/8 in. long G.P.1. |
| 24.507 | 3/32 Dia. x 7/16 in. long G.P.1. |
| 24.508 | 3/32 Dia. x 1/2 in. long G.P.1. |
| 24.509 | 3/32 Dia. x 9/16 in. long G.P.1. |
| 24.510 | 3/32 Dia. x 5/8 in. long G.P.1. |
| 24.511 | 3/32 Dia. x 11/16 in. long G.P.1. |
| 24.512 | 3/32 Dia. x 3/4 in. long G.P.1. |
| 24.513 | 3/32 Dia. x 13/16 in. long G.P.1. |
| 24.514 | 3/32 Dia. x 7/8 in. long G.P.1. |
| 24.515 | 3/32 Dia. x 15/16 in. long G.P.1. |
| 24.516 | 3/32 Dia. x 1 in. long G.P.1. |
| 24.517 | 3/32 Dia. x 1 1/8 in. long G.P.1. |
| 24.518 | 1/8 Dia. x 3/8 in. long G.P.1. |
| 24.519 | 1/8 Dia. x 7/16 in. long G.P.1. |
| 24.520 | 1/8 Dia. x 1/2 in. long G.P.1. |
| 24.521 | 1/8 Dia. x 3/4 in. long G.P.1. |
| 24.522 | 1/8 Dia. x 13/16 in. long G.P.1. |
| 24.523 | 1/8 Dia. x 1 in. long G.P.3. |
| 24.524 | 1/8 Dia. x 1 1/2 in. long G.P.2. |
| 24.525 | 1/8 Dia. x 9/16 in. long G.P.3. |
| 24.526 | 1/8 Dia. x 5/8 in. long G.P.3. |
| 24.527 | 1/8 Dia. x 3/4 in. long G.P.4. |
| 24.528 | 1/8 Dia. x 7/16 in. long G.P.4. |
| 24.529 | 1/8 Dia. x 1/2 in. long G.P.3. |
| 24.530 | 5/32 Dia. x 5/16 in. long G.P.3. |
| 24.531 | 5/32 Dia. x 3/8 in. long G.P.3. |
| 24.532 | 5/32 Dia. x 1/2 in. long G.P.3. |
| 24.533 | 5/32 Dia. x 3/4 in. long G.P.3. |
| 24.534 | 5/32 Dia. x 1 in. long G.P.3. |

Section 24 continued

| Part Ref. | Description |
|-----------|------------------------------------|
| 24.535 | 5/32 Dia. x 1 1/4 in. long G.P.3. |
| 24.536 | 3/16 Dia. x 1/2 in. long G.P.1. |
| 24.537 | 3/16 Dia. x 1 in. long G.P.1. |
| 24.538 | 3/16 Dia. x 1 1/8 in. long G.P.1. |
| 24.539 | 3/16 Dia. x 1/2 in. long G.P.3. |
| 24.540 | 3/16 Dia. x 9/16 in. long G.P.3. |
| 24.541 | 3/16 Dia. x 5/8 in. long G.P.3. |
| 24.542 | 3/16 Dia. x 3/4 in. long G.P.3. |
| 24.543 | 3/16 Dia. x 7/8 in. long G.P.3. |
| 24.544 | 3/16 Dia. x 1 in. long G.P.3. |
| 24.545 | 3/16 Dia. x 1 1/4 in. long G.P.3. |
| 24.546 | 3/16 Dia. x 1 1/2 in. long G.P.3. |
| 24.547 | 3/16 Dia. x 5/8 in. long G.P.4. |
| 24.548 | 3/16 Dia. x 11/16 in. long G.P.2. |
| 24.549 | 3/16 Dia. x 1 3/4 in. long G.P.3. |
| 24.550 | 3/16 Dia. x 3/8 in. long G.P.3. |
| 24.551 | 1/4 Dia. x 1/2 in. long G.P.2. |
| 24.552 | 1/4 Dia. x 5/8 in. long G.P.2. |
| 24.553 | 1/4 Dia. x 1 in. long G.P.2. |
| 24.554 | 1/4 Dia. x 1 1/2 in. long G.P.2. |
| 24.555 | 1/4 Dia. x 1 1/2 in. long G.P.2. |
| 24.556 | 1/4 Dia. x 1 3/4 in. long G.P.2. |
| 24.557 | 1/4 Dia. x 1 1/4 in. long G.P.3. |
| 24.558 | 1/4 Dia. x 3/8 in. long G.P.3. |
| 24.559 | 1/4 Dia. x 1 1/8 in. long G.P.3. |
| 24.560 | 1/4 Dia. x 3/4 in. long G.P.4. |
| 24.561 | 3/8 Dia. x 9/16 in. long G.P.1. |
| 24.562 | 3/8 Dia. x 5/8 in. long G.P.1. |
| 24.563 | 3/8 Dia. x 1 1/4 in. long G.P.3. |
| 24.564 | 3/8 Dia. x 1 1/2 in. long G.P.1. |
| 24.565 | 5/16 Dia. x 1 in. long G.P.2. |
| 24.566 | 3/8 Dia. x 7/8 in. long G.P.1. |
| 24.567 | 3/8 Dia. x 1 5/16 in. long G.P.1. |
| 24.568 | 3/8 Dia. x 1 in. long G.P.1. |
| 24.569 | 5/16 Dia. x 5/8 in. long G.P.3. |
| 24.570 | 5/16 Dia. x 3/4 in. long G.P.3. |
| 24.571 | 5/16 Dia. x 7/8 in. long G.P.3. |
| 24.572 | 5/16 Dia. x 1 in. long G.P.3. |
| 24.573 | 5/16 Dia. x 1 1/4 in. long G.P.3. |
| 24.574 | 5/16 Dia. x 1 1/2 in. long G.P.3. |
| 24.575 | 5/16 Dia. x 1 3/4 in. long G.P.3. |
| 24.576 | 5/16 Dia. x 2 1/2 in. long G.P.3. |
| 24.577 | 5/16 Dia. x 1 in. long G.P.4. |
| 24.578 | 5/16 Dia. x 1 1/4 in. long G.P.4. |
| 24.579 | 3/8 Dia. x 5/16 in. long G.P.3. |
| 24.580 | 3/8 Dia. x 3/4 in. long G.P.1. |
| 24.581 | 3/8 Dia. x 1 1/8 in. long G.P.1. |
| 24.582 | 3/8 Dia. x 1 1/4 in. long G.P.1. |
| 24.583 | 3/8 Dia. x 1 3/8 in. long G.P.1. |
| 24.584 | 3/8 Dia. x 3/8 in. long G.P.3. |
| 24.585 | 3/8 Dia. x 3/4 in. long G.P.3. |
| 24.586 | 3/8 Dia. x 7/8 in. long G.P.3. |
| 24.587 | 3/8 Dia. x 1 in. long G.P.3. |
| 24.588 | 3/8 Dia. x 1 1/4 in. long G.P.3. |
| 24.589 | 3/8 Dia. x 1 1/2 in. long G.P.3. |
| 24.590 | 3/8 Dia. x 1 3/4 in. long G.P.3. |
| 24.591 | 3/8 Dia. x 1 in. long G.P.4. |
| 24.592 | 3/8 Dia. x 1 1/2 in. long G.P.4. |
| 24.593 | 3/8 Dia. x 1 1/2 in. long G.P.1. |
| 24.594 | 5/32 Dia. x 7/16 in. long G.P.1. |
| 24.595 | 3/8 Dia. x 1 1/2 in. long G.P.2. |
| 24.596 | 5/32 Dia. x 1 in. long G.P.1. |
| 24.597 | 5/32 Dia. x 9/16 in. long G.P.1. |
| 24.598 | 5/32 Dia. x 5/8 in. long G.P.1. |
| 24.599 | 5/32 Dia. x 11/16 in. long G.P.1. |
| 24.600 | 5/32 Dia. x 3/4 in. long G.P.1. |
| 24.601 | 5/32 Dia. x 13/16 in. long G.P.1. |
| 24.602 | 5/32 Dia. x 7/8 in. long G.P.1. |
| 24.603 | 5/32 Dia. x 1 5/16 in. long G.P.1. |
| 24.604 | 5/32 Dia. x 1 in. long G.P.1. |
| 24.605 | 5/32 Dia. x 1 1/8 in. long G.P.1. |
| 24.606 | 5/32 Dia. x 1 1/4 in. long G.P.1. |
| 24.607 | 5/32 Dia. x 1 3/8 in. long G.P.1. |
| 24.608 | 5/32 Dia. x 1 1/2 in. long G.P.1. |
| 24.609 | 5/32 Dia. x 1 3/8 in. long G.P.1. |
| 24.610 | 5/32 Dia. x 1 3/4 in. long G.P.1. |
| 24.611 | 5/32 Dia. x 1 7/8 in. long G.P.1. |

Section 24 continued

| Part Ref. | Description |
|-----------|------------------------------------|
| 24.612 | 5/32 Dia. x 2 in. long G.P.1. |
| 24.613 | 3/16 Dia. x 7/16 in. long G.P.1. |
| 24.614 | 3/16 Dia. x 9/16 in. long G.P.1. |
| 24.615 | 3/16 Dia. x 5/8 in. long G.P.1. |
| 24.616 | 3/16 Dia. x 11/16 in. long G.P.1. |
| 24.617 | 3/16 Dia. x 3/4 in. long G.P.1. |
| 24.618 | 3/16 Dia. x 13/16 in. long G.P.1. |
| 24.619 | 3/16 Dia. x 7/8 in. long G.P.1. |
| 24.620 | 3/16 Dia. x 1 5/16 in. long G.P.1. |
| 24.621 | 3/16 Dia. x 1 1/4 in. long G.P.1. |
| 24.622 | 3/16 Dia. x 1 3/8 in. long G.P.1. |
| 24.623 | 3/16 Dia. x 1 1/2 in. long G.P.1. |
| 24.624 | 3/16 Dia. x 1 5/8 in. long G.P.1. |
| 24.625 | 3/16 Dia. x 1 3/4 in. long G.P.1. |
| 24.626 | 3/16 Dia. x 1 7/8 in. long G.P.1. |
| 24.627 | 3/16 Dia. x 2 in. long G.P.1. |
| 24.628 | 3/16 Dia. x 2 1/4 in. long G.P.1. |
| 24.629 | 3/16 Dia. x 2 1/2 in. long G.P.1. |
| 24.630 | 3/16 Dia. x 2 3/4 in. long G.P.1. |
| 24.631 | 3/16 Dia. x 3 in. long G.P.1. |
| 24.632 | 7/32 Dia. x 7/16 in. long G.P.1. |
| 24.633 | 7/32 Dia. x 1/2 in. long G.P.1. |
| 24.634 | 7/32 Dia. x 9/16 in. long G.P.1. |
| 24.635 | 7/32 Dia. x 5/8 in. long G.P.1. |
| 24.636 | 7/32 Dia. x 11/16 in. long G.P.1. |
| 24.637 | 7/32 Dia. x 3/4 in. long G.P.1. |
| 24.638 | 7/32 Dia. x 13/16 in. long G.P.1. |
| 24.639 | 7/32 Dia. x 7/8 in. long G.P.1. |
| 24.640 | 7/32 Dia. x 1 5/16 in. long G.P.1. |
| 24.641 | 7/32 Dia. x 1 in. long G.P.1. |
| 24.642 | 7/32 Dia. x 1 1/8 in. long G.P.1. |
| 24.643 | 7/32 Dia. x 1 1/4 in. long G.P.1. |
| 24.644 | 7/32 Dia. x 1 3/8 in. long G.P.1. |
| 24.645 | 7/32 Dia. x 1 1/2 in. long G.P.1. |
| 24.646 | 7/32 Dia. x 1 3/8 in. long G.P.1. |
| 24.647 | 7/32 Dia. x 1 3/4 in. long G.P.1. |
| 24.648 | 7/32 Dia. x 1 7/8 in. long G.P.1. |
| 24.649 | 7/32 Dia. x 2 in. long G.P.1. |
| 24.650 | 7/32 Dia. x 2 1/4 in. long G.P.1. |
| 24.651 | 7/32 Dia. x 2 1/2 in. long G.P.1. |
| 24.652 | 7/32 Dia. x 2 3/4 in. long G.P.1. |
| 24.653 | 7/32 Dia. x 3 in. long G.P.1. |
| 24.654 | 1/4 Dia. x 7/16 in. long G.P.1. |
| 24.655 | 1/4 Dia. x 1/2 in. long G.P.1. |
| 24.656 | 1/4 Dia. x 9/16 in. long G.P.1. |
| 24.657 | 1/4 Dia. x 5/8 in. long G.P.1. |
| 24.658 | 1/4 Dia. x 11/16 in. long G.P.1. |
| 24.659 | 1/4 Dia. x 3/4 in. long G.P.1. |
| 24.660 | 1/4 Dia. x 13/16 in. long G.P.1. |
| 24.661 | 1/4 Dia. x 7/8 in. long G.P.1. |
| 24.662 | 1/4 Dia. x 1 5/16 in. long G.P.1. |
| 24.663 | 1/4 Dia. x 1 in. long G.P.1. |
| 24.664 | 1/4 Dia. x 1 1/8 in. long G.P.1. |
| 24.665 | 1/4 Dia. x 1 1/4 in. long G.P.1. |
| 24.666 | 1/4 Dia. x 1 3/8 in. long G.P.1. |
| 24.667 | 1/4 Dia. x 1 1/2 in. long G.P.1. |
| 24.668 | 1/4 Dia. x 1 3/8 in. long G.P.1. |
| 24.669 | 1/4 Dia. x 1 3/4 in. long G.P.1. |
| 24.670 | 1/4 Dia. x 1 7/8 in. long G.P.1. |
| 24.671 | 1/4 Dia. x 2 in. long G.P.1. |
| 24.672 | 1/4 Dia. x 2 1/4 in. long G.P.1. |
| 24.673 | 1/4 Dia. x 2 1/2 in. long G.P.1. |
| 24.674 | 1/4 Dia. x 2 3/4 in. long G.P.1. |
| 24.675 | 1/4 Dia. x 3 in. long G.P.1. |
| 24.676 | 1/4 Dia. x 3 1/4 in. long G.P.1. |
| 24.677 | 1/4 Dia. x 3 1/2 in. long G.P.1. |
| 24.678 | 1/4 Dia. x 3 3/4 in. long G.P.1. |
| 24.679 | 1/4 Dia. x 4 in. long G.P.1. |
| 24.680 | 9/32 Dia. x 1/2 in. long G.P.1. |
| 24.681 | 9/32 Dia. x 9/16 in. long G.P.1. |
| 24.682 | 9/32 Dia. x 5/8 in. long G.P.1. |
| 24.683 | 9/32 Dia. x 11/16 in. long G.P.1. |
| 24.684 | 9/32 Dia. x 3/4 in. long G.P.1. |
| 24.685 | 9/32 Dia. x 13/16 in. long G.P.1. |
| 24.686 | 9/32 Dia. x 7/8 in. long G.P.1. |
| 24.687 | 9/32 Dia. x 1 5/16 in. long G.P.1. |
| 24.688 | 9/32 Dia. x 1 in. long G.P.1. |

Section 24 continued

| Part Ref. | |
|-----------|--|
| 24.371 | $\frac{9}{32}$ Dia. x $3\frac{1}{2}$ in. long G.P.4. |
| 24.372 | $\frac{9}{32}$ Dia. x $3\frac{3}{4}$ in. long G.P.4. |
| 24.373 | $\frac{9}{32}$ Dia. x 4 in. long G.P.4. |
| 24.374 | $\frac{9}{32}$ Dia. x $4\frac{1}{4}$ in. long G.P.4. |
| 24.375 | $\frac{9}{32}$ Dia. x $4\frac{1}{2}$ in. long G.P.4. |
| 24.376 | $\frac{9}{32}$ Dia. x $4\frac{3}{4}$ in. long G.P.4. |
| 24.377 | $\frac{9}{32}$ Dia. x 5 in. long G.P.4. |
| 24.378 | $\frac{5}{16}$ Dia. x $1\frac{1}{16}$ in. long G.P.4. |
| 24.379 | $\frac{5}{16}$ Dia. x $\frac{3}{4}$ in. long G.P.4. |
| 24.380 | $\frac{5}{16}$ Dia. x $1\frac{3}{16}$ in. long G.P.4. |
| 24.381 | $\frac{5}{16}$ Dia. x $\frac{7}{8}$ in. long G.P.4. |
| 24.382 | $\frac{5}{16}$ Dia. x $1\frac{5}{16}$ in. long G.P.4. |
| 24.383 | $\frac{5}{16}$ Dia. x $1\frac{1}{8}$ in. long G.P.4. |
| 24.384 | $\frac{5}{16}$ Dia. x $1\frac{1}{4}$ in. long G.P.4. |
| 24.385 | $\frac{5}{16}$ Dia. x $1\frac{1}{2}$ in. long G.P.4. |
| 24.386 | $\frac{5}{16}$ Dia. x $1\frac{3}{4}$ in. long G.P.4. |
| 24.387 | $\frac{5}{16}$ Dia. x $1\frac{3}{4}$ in. long G.P.4. |
| 24.388 | $\frac{5}{16}$ Dia. x $1\frac{7}{8}$ in. long G.P.4. |
| 24.389 | $\frac{5}{16}$ Dia. x 2 in. long G.P.4. |
| 24.390 | $\frac{5}{16}$ Dia. x $2\frac{1}{4}$ in. long G.P.4. |
| 24.391 | $\frac{5}{16}$ Dia. x $2\frac{1}{2}$ in. long G.P.4. |
| 24.392 | $\frac{5}{16}$ Dia. x $2\frac{3}{4}$ in. long G.P.4. |
| 24.393 | $\frac{5}{16}$ Dia. x 3 in. long G.P.4. |
| 24.394 | $\frac{5}{16}$ Dia. x $3\frac{1}{4}$ in. long G.P.4. |
| 24.395 | $\frac{5}{16}$ Dia. x $3\frac{1}{2}$ in. long G.P.4. |
| 24.396 | $\frac{5}{16}$ Dia. x $3\frac{3}{4}$ in. long G.P.4. |
| 24.397 | $\frac{5}{16}$ Dia. x 4 in. long G.P.4. |
| 24.398 | $\frac{5}{16}$ Dia. x $4\frac{1}{4}$ in. long G.P.4. |
| 24.399 | $\frac{5}{16}$ Dia. x $4\frac{1}{2}$ in. long G.P.4. |
| 24.400 | $\frac{5}{16}$ Dia. x $4\frac{3}{4}$ in. long G.P.4. |
| 24.401 | $\frac{5}{16}$ Dia. x 5 in. long G.P.4. |
| 24.402 | $\frac{5}{16}$ Dia. x $5\frac{1}{2}$ in. long G.P.4. |
| 24.403 | $\frac{5}{16}$ Dia. x 6 in. long G.P.4. |
| 24.404 | $\frac{5}{16}$ Dia. x $6\frac{1}{2}$ in. long G.P.4. |
| 24.405 | $\frac{5}{16}$ Dia. x 7 in. long G.P.4. |
| 24.406 | $\frac{11}{32}$ Dia. x $1\frac{1}{16}$ in. long G.P.4. |
| 24.407 | $\frac{11}{32}$ Dia. x $\frac{3}{4}$ in. long G.P.4. |
| 24.408 | $\frac{11}{32}$ Dia. x $1\frac{3}{16}$ in. long G.P.4. |
| 24.409 | $\frac{11}{32}$ Dia. x $\frac{7}{8}$ in. long G.P.4. |
| 24.410 | $\frac{11}{32}$ Dia. x $1\frac{5}{16}$ in. long G.P.4. |
| 24.411 | $\frac{11}{32}$ Dia. x 1 in. long G.P.4. |
| 24.412 | $\frac{11}{32}$ Dia. x $1\frac{1}{8}$ in. long G.P.4. |
| 24.413 | $\frac{11}{32}$ Dia. x $1\frac{1}{4}$ in. long G.P.4. |
| 24.414 | $\frac{11}{32}$ Dia. x $1\frac{3}{8}$ in. long G.P.4. |
| 24.415 | $\frac{11}{32}$ Dia. x $1\frac{1}{2}$ in. long G.P.4. |
| 24.416 | $\frac{11}{32}$ Dia. x $1\frac{5}{8}$ in. long G.P.4. |
| 24.417 | $\frac{11}{32}$ Dia. x $1\frac{3}{4}$ in. long G.P.4. |
| 24.418 | $\frac{11}{32}$ Dia. x $1\frac{7}{8}$ in. long G.P.4. |
| 24.419 | $\frac{11}{32}$ Dia. x 2 in. long G.P.4. |
| 24.420 | $\frac{11}{32}$ Dia. x $2\frac{1}{4}$ in. long G.P.4. |
| 24.421 | $\frac{11}{32}$ Dia. x $2\frac{1}{2}$ in. long G.P.4. |
| 24.422 | $\frac{11}{32}$ Dia. x $2\frac{3}{4}$ in. long G.P.4. |
| 24.423 | $\frac{11}{32}$ Dia. x 3 in. long G.P.4. |
| 24.424 | $\frac{11}{32}$ Dia. x $3\frac{1}{4}$ in. long G.P.4. |
| 24.425 | $\frac{11}{32}$ Dia. x $3\frac{1}{2}$ in. long G.P.4. |
| 24.426 | $\frac{11}{32}$ Dia. x $3\frac{3}{4}$ in. long G.P.4. |
| 24.427 | $\frac{11}{32}$ Dia. x 4 in. long G.P.4. |
| 24.428 | $\frac{11}{32}$ Dia. x $4\frac{1}{4}$ in. long G.P.4. |
| 24.429 | $\frac{11}{32}$ Dia. x $4\frac{1}{2}$ in. long G.P.4. |
| 24.430 | $\frac{11}{32}$ Dia. x $4\frac{3}{4}$ in. long G.P.4. |
| 24.431 | $\frac{11}{32}$ Dia. x 5 in. long G.P.4. |
| 24.432 | $\frac{11}{32}$ Dia. x $5\frac{1}{2}$ in. long G.P.4. |
| 24.433 | $\frac{11}{32}$ Dia. x 6 in. long G.P.4. |
| 24.434 | $\frac{11}{32}$ Dia. x $6\frac{1}{2}$ in. long G.P.4. |
| 24.435 | $\frac{11}{32}$ Dia. x 7 in. long G.P.4. |
| 24.436 | $\frac{3}{8}$ Dia. x $1\frac{5}{16}$ in. long G.P.4. |
| 24.437 | $\frac{3}{8}$ Dia. x $\frac{7}{8}$ in. long G.P.4. |
| 24.438 | $\frac{3}{8}$ Dia. x $1\frac{5}{16}$ in. long G.P.4. |
| 24.439 | $\frac{3}{8}$ Dia. x $1\frac{1}{8}$ in. long G.P.4. |
| 24.440 | $\frac{3}{8}$ Dia. x $1\frac{1}{4}$ in. long G.P.4. |
| 24.441 | $\frac{3}{8}$ Dia. x $1\frac{1}{2}$ in. long G.P.4. |
| 24.442 | $\frac{3}{8}$ Dia. x $1\frac{3}{4}$ in. long G.P.4. |
| 24.443 | $\frac{3}{8}$ Dia. x $1\frac{3}{4}$ in. long G.P.4. |
| 24.444 | $\frac{3}{8}$ Dia. x $1\frac{7}{8}$ in. long G.P.4. |

Section 24 continued

| Part Ref. | |
|-----------|---|
| 24.445 | $\frac{3}{8}$ Dia. x 2 in. long G.P.4. |
| 24.446 | $\frac{3}{8}$ Dia. x $2\frac{1}{4}$ in. long G.P.4. |
| 24.447 | $\frac{3}{8}$ Dia. x $2\frac{1}{2}$ in. long G.P.4. |
| 24.448 | $\frac{3}{8}$ Dia. x $2\frac{3}{4}$ in. long G.P.4. |
| 24.449 | $\frac{3}{8}$ Dia. x 3 in. long G.P.4. |
| 24.450 | $\frac{3}{8}$ Dia. x $3\frac{1}{4}$ in. long G.P.4. |
| 24.451 | $\frac{3}{8}$ Dia. x $3\frac{1}{2}$ in. long G.P.4. |
| 24.452 | $\frac{3}{8}$ Dia. x $3\frac{3}{4}$ in. long G.P.4. |
| 24.453 | $\frac{3}{8}$ Dia. x 4 in. long G.P.4. |
| 24.454 | $\frac{3}{8}$ Dia. x $4\frac{1}{4}$ in. long G.P.4. |
| 24.455 | $\frac{3}{8}$ Dia. x $4\frac{1}{2}$ in. long G.P.4. |
| 24.456 | $\frac{3}{8}$ Dia. x $4\frac{3}{4}$ in. long G.P.4. |
| 24.457 | $\frac{3}{8}$ Dia. x 5 in. long G.P.4. |
| 24.458 | $\frac{3}{8}$ Dia. x $5\frac{1}{2}$ in. long G.P.4. |
| 24.459 | $\frac{3}{8}$ Dia. x 6 in. long G.P.4. |
| 24.460 | $\frac{3}{8}$ Dia. x $6\frac{1}{2}$ in. long G.P.4. |
| 24.461 | $\frac{3}{8}$ Dia. x 7 in. long G.P.4. |

Section 25

Pins Miscellaneous

| Part Ref. | |
|-----------|--|
| 25.042 | $\frac{3}{32}$ Dia. x $\frac{3}{4}$ in. long Split Pin. |
| 25.561 | $\frac{1}{4}$ Dia. x $\frac{3}{4}$ in. long G.P.5. |
| 25.562 | $\frac{1}{4}$ Dia. x $1\frac{1}{8}$ in. long G.P.5. |
| 25.566 | $\frac{5}{16}$ Dia. x $\frac{1}{4}$ in. long G.P.3. |
| 25.567 | $\frac{5}{16}$ Dia. x $\frac{3}{8}$ in. long G.P.3. |
| 25.568 | $\frac{5}{16}$ Dia. x $\frac{1}{2}$ in. long G.P.3. |
| 25.581 | $\frac{3}{8}$ Dia. x $\frac{1}{4}$ in. long G.P.3. |
| 25.582 | $\frac{3}{8}$ Dia. x $\frac{3}{8}$ in. long G.P.3. |
| 25.583 | $\frac{3}{8}$ Dia. x $\frac{1}{2}$ in. long G.P.3. |
| 25.584 | $\frac{3}{8}$ Dia. x $\frac{1}{4}$ in. long G.P.3. |
| 25.585 | $\frac{3}{32}$ Dia. x 2 in. long Split Pin. |
| 25.586 | $\frac{3}{32}$ Dia. x $2\frac{1}{4}$ in. long Split Pin. |

Section 26

Oil Rings

| Part Ref | |
|----------|---|
| 26.034 | 3 in. Dia. x .210 Thk. Pioneer. PO/33730021. |
| 26.841 | $\frac{1}{8}$ Dia. x .070 Thk. Pioneer. PO/02501207. |
| 26.842 | $\frac{3}{16}$ Dia. x .070 Thk. Pioneer. PO/03101807. |
| 26.843 | $\frac{1}{4}$ Dia. x .070 Thk. Pioneer. PO/03702507. |
| 26.844 | $\frac{5}{16}$ Dia. x .070 Thk. Pioneer. PO/04303107. |
| 26.845 | $\frac{3}{8}$ Dia. x .070 Thk. Pioneer. PO/05003707. |
| 26.846 | $\frac{7}{16}$ Dia. x .070 Thk. Pioneer. PO/05604307. |
| 26.847 | $\frac{9}{16}$ Dia. x .103 Thk. Pioneer. PO/07505610. |
| 26.848 | $\frac{11}{16}$ Dia. x .103 Thk. Pioneer. PO/08706810. |
| 26.849 | $\frac{13}{16}$ Dia. x .103 Thk. Pioneer. PO/10008110. |
| 26.850 | $\frac{1}{2}$ Dia. x .103 Thk. Pioneer. PO/06805010. |
| 26.851 | 1 Dia. x .139 Thk. Pioneer. PO/12510013. |
| 26.852 | $1\frac{1}{2}$ Dia. x .139 Thk. Pioneer. PO/17515013. |
| 26.853 | $1\frac{1}{8}$ Dia. x .139 Thk. Pioneer. PO/18716213. |
| 26.854 | $1\frac{13}{16}$ Dia. x .139 Thk. Pioneer. PO/20618113. |
| 26.855 | $\frac{5}{8}$ Dia. x .103 Thk. Pioneer. PO/08106210. |
| 26.856 | 2 Dia. x .139 Thk. Pioneer. PO/22520013. |
| 26.857 | $\frac{3}{4}$ Dia. x .103 Thk. Pioneer. PO/09307510. |

Section 26 continued

| Part Ref. | |
|-----------|---|
| 26.858 | $\frac{7}{8}$ Dia. x .103 Thk. Pioneer. PO/10608710. |
| 26.859 | $\frac{1}{2}$ i.d. x $\frac{5}{8}$ o/d Dowty No.2. |
| 26.860 | $\frac{15}{16}$ Dia. x .103 Thk. Pioneer. PO/11209310. |
| 26.861 | $1\frac{1}{16}$ Dia. x .139 Thk. Pioneer. PO/13110613. |
| 26.862 | $1\frac{1}{8}$ Dia. x .139 Thk. Pioneer. PO/13711213. |
| 26.863 | $1\frac{3}{16}$ Dia. x .139 Thk. Pioneer. PO/14311813. |
| 26.864 | $1\frac{1}{4}$ Dia. x .139 Thk. Pioneer. PO/15012513. |
| 26.865 | $1\frac{5}{16}$ Dia. x .139 Thk. Pioneer. PO/15613113. |
| 26.866 | $1\frac{3}{8}$ Dia. x .139 Thk. Pioneer. PO/16213713. |
| 26.867 | $1\frac{7}{16}$ Dia. x .139 Thk. Pioneer. PO/16814313. |
| 26.868 | $1\frac{9}{16}$ Dia. x .139 Thk. Pioneer. PO/18115613. |
| 26.869 | $1\frac{11}{16}$ Dia. x .139 Thk. Pioneer. PO/19316813. |
| 26.870 | $1\frac{3}{4}$ Dia. x .139 Thk. Pioneer. PO/20017513. |
| 26.871 | $1\frac{7}{8}$ Dia. x .139 Thk. Pioneer. PO/21218713. |
| 26.872 | $1\frac{5}{8}$ Dia. x .139 Thk. Pioneer. PO/21819313. |
| 26.873 | $2\frac{1}{16}$ Dia. x .139 Thk. Pioneer. PO/23120613. |
| 26.874 | $2\frac{1}{8}$ Dia. x .139 Thk. Pioneer. PO/23721213. |
| 26.875 | $2\frac{3}{16}$ Dia. x .139 Thk. Pioneer. PO/24321813. |
| 26.876 | $2\frac{1}{4}$ Dia. x .139 Thk. Pioneer. PO/25022513. |
| 26.877 | $2\frac{5}{16}$ Dia. x .139 Thk. Pioneer. PO/25623113. |
| 26.878 | $2\frac{3}{8}$ Dia. x .139 Thk. Pioneer. PO/26223713. |
| 26.879 | $2\frac{7}{16}$ Dia. x .139 Thk. Pioneer. PO/26824313. |
| 26.880 | $2\frac{1}{2}$ Dia. x .139 Thk. Pioneer. PO/27525013. |
| 26.881 | $2\frac{9}{16}$ Dia. x .139 Thk. Pioneer. PO/28125613. |
| 26.882 | $2\frac{5}{8}$ Dia. x .139 Thk. Pioneer. PO/28726213. |
| 26.883 | $2\frac{11}{16}$ Dia. x .139 Thk. Pioneer. PO/29326813. |
| 26.884 | $2\frac{3}{4}$ Dia. x .139 Thk. Pioneer. PO/30027513. |
| 26.885 | $2\frac{13}{16}$ Dia. x .139 Thk. Pioneer. PO/30628113. |
| 26.886 | $2\frac{7}{8}$ Dia. x .139 Thk. Pioneer. PO/31228713. |
| 26.887 | $2\frac{15}{16}$ Dia. x .139 Thk. Pioneer. PO/31829313. |
| 26.889 | $3\frac{1}{8}$ Dia. x .210 Thk. Pioneer. PO/35031221. |
| 26.890 | $3\frac{1}{4}$ Dia. x .210 Thk. Pioneer. PO/36232521. |
| 26.891 | $3\frac{3}{8}$ Dia. x .210 Thk. Pioneer. PO/37533721. |
| 26.892 | $3\frac{1}{2}$ Dia. x .210 Thk. Pioneer. PO/38735021. |
| 26.893 | $3\frac{5}{8}$ Dia. x .210 Thk. Pioneer. PO/40036221. |
| 26.894 | $3\frac{3}{4}$ Dia. x .210 Thk. Pioneer. PO/41237521. |
| 26.895 | $3\frac{7}{8}$ Dia. x .210 Thk. Pioneer. PO/42538721. |
| 26.896 | 4 in. Dia. x .210 Thk. Pioneer. PO/43740021. |
| 26.897 | $4\frac{1}{4}$ Dia. x .210 Thk. Pioneer. PO/45041221. |

Section 26 continued

| Part Ref. | |
|-----------|---|
| 26.898 | 4¼ Dia. x .210 Thk. Pioneer. PO/46242521. |
| 26.899 | 4¾ Dia. x .210 Thk. Pioneer. PO/47543721. |
| 26.900 | 4½ Dia. x .210 Thk. Pioneer. PO/48745021. |
| 26.901 | 4¾ Dia. x .210 Thk. Pioneer. PO/50046221. |
| 26.902 | 4¾ Dia. x .210 Thk. Pioneer. PO/51247521. |
| 26.903 | 4¾ Dia. x .210 Thk. Pioneer. PO/52548721. |
| 26.904 | 5 in. Dia. x .210 Thk. Pioneer. PO/53750021. |
| 26.905 | 5¾ Dia. x .210 Thk. Pioneer. PO/55051221. |
| 26.906 | 5¼ Dia. x .210 Thk. Pioneer. PO/56252521. |
| 26.907 | 5¾ Dia. x .210 Thk. Pioneer. PO/57553721. |
| 26.908 | 5½ Dia. x .210 Thk. Pioneer. PO/58755021. |
| 26.909 | 5¾ Dia. x .210 Thk. Pioneer. PO/60056221. |
| 26.910 | 5¾ Dia. x .210 Thk. Pioneer. PO/61257521. |
| 26.911 | 5¾ Dia. x .210 Thk. Pioneer. PO/62558721. |
| 26.912 | 6 in. Dia. x .275 Thk. Pioneer. PO/65060027. |
| 26.913 | 6¾ Dia. x .275 Thk. Pioneer. PO/66261227. |
| 26.914 | 6¼ Dia. x .275 Thk. Pioneer. PO/67562527. |
| 26.915 | 6¾ Dia. x .275 Thk. Pioneer. PO/68763727. |
| 26.916 | 6½ Dia. x .275 Thk. Pioneer. PO/70065027. |
| 26.917 | 6¾ Dia. x .275 Thk. Pioneer. PO/71266227. |
| 26.918 | 6¾ Dia. x .275 Thk. Pioneer. PO/72567527. |
| 26.919 | 6¾ Dia. x .275 Thk. Pioneer. PO/73768727. |
| 26.920 | 7 in. Dia. x .275 Thk. Pioneer. PO/75070027. |
| 26.921 | 7¼ Dia. x .275 Thk. Pioneer. PO/76271227. |
| 26.922 | 7¼ Dia. x .275 Thk. Pioneer. PO/77572527. |
| 26.923 | 7¾ Dia. x .275 Thk. Pioneer. PO/78773727. |
| 26.924 | 7½ Dia. x .275 Thk. Pioneer. PO/80075027. |
| 26.925 | 7¾ Dia. x .275 Thk. Pioneer. PO/81276227. |
| 26.926 | 7¾ Dia. x .275 Thk. Pioneer. PO/82577527. |
| 26.927 | 7¾ Dia. x .275 Thk. Pioneer. PO/83778727. |
| 26.928 | 8 in. Dia. x .275 Thk. Pioneer. PO/85080027. |
| 26.929 | 7/16 i.d. x 9/16 o.d. Dowty No.1. |
| 26.930 | 9/16 i.d. x 11/16 o.d. Dowty No.3. |
| 26.931 | 5/8 i.d. x 3/4 o.d. Dowty No.4. |
| 26.932 | 11/16 i.d. x 13/16 o.d. Dowty No.5. |
| 26.933 | 3/4 i.d. x 7/8 o.d. Dowty No.6. |
| 26.934 | 13/16 i.d. x 15/16 o.d. Dowty No.7. |
| 26.935 | 7/8 i.d. x 1 o.d. Dowty No.8. |

Section 26 continued

| Part Ref. | |
|-----------|--|
| 26.936 | 15/16 i.d. x 1 1/16 o.d. Dowty No.9. |
| 26.937 | 1 in. i.d. x 1 1/8 o.d. Dowty No.10. |
| 26.938 | 1 1/16 i.d. x 1 3/16 o.d. Dowty No.11. |
| 26.939 | 1 1/8 i.d. x 1 1/4 o.d. Dowty No.12. |
| 26.940 | 1 3/16 i.d. x 1 5/16 o.d. Dowty No.13. |
| 26.941 | 1 1/4 i.d. x 1 3/8 o.d. Dowty No.14. |
| 26.942 | 1 5/16 i.d. x 1 7/16 o.d. Dowty No.15. |
| 26.943 | 1 3/8 i.d. x 1 1/2 o.d. Dowty No.16. |
| 26.944 | 1 7/16 i.d. x 1 9/16 o.d. Dowty No.17. |
| 26.945 | 1 1/2 i.d. x 1 5/8 o.d. Dowty No.18. |
| 26.946 | 1 9/16 i.d. x 1 11/16 o.d. Dowty No.19. |
| 26.947 | 1 5/8 i.d. x 1 3/4 o.d. Dowty No.20. |
| 26.948 | 1 3/4 i.d. x 1 7/8 o.d. Dowty No.21. |
| 26.949 | 1 7/8 i.d. x 2 in. o.d. Dowty No.22. |
| 26.950 | 2 in. i.d. x 2 1/8 o.d. Dowty No.23. |
| 26.951 | 2 1/8 i.d. x 2 1/4 o.d. Dowty No.24. |
| 26.952 | 2 1/4 i.d. x 2 3/8 o.d. Dowty No.25. |
| 26.953 | 2 3/8 i.d. x 2 1/2 o.d. Dowty No.26. |
| 26.954 | 2 1/2 i.d. x 2 5/8 o.d. Dowty No.27. |
| 26.955 | 2 5/8 i.d. x 2 3/4 o.d. Dowty No.28. |
| 26.956 | 2 3/4 i.d. x 2 7/8 o.d. Dowty No.29. |
| 26.957 | 2 7/8 i.d. x 3 in. o.d. Dowty No.30. |

Section 27

Oil Rings Miscellaneous

| Part Ref. | |
|-----------|---|
| 27.026 | Pioneer POS/2504/MP/658 |
| 27.027 | Pioneer SH/96/332. 1 7/8 i.d. |
| 27.028 | 1.734 i.d. x .139 Thk. Pioneer. PO/20017513. |
| 27.040 | Pioneer POS/2508/MP/658 |
| 27.047 | Superfect SH/96/45 |
| 27.048 | Superfect SH/96/34 |
| 27.060 | 1/2 i.d. B4/1115. |
| 27.137 | Dowty Mk7 list 4 pp 73c. |
| 27.138 | Dowty Mk24 list 5 pp 49c. |
| 27.141 | Superfect SH/96/16. |
| 27.192 | Dowty Mk.7 list 1 pp 49c. |
| 27.846 | .424 i.d. x .070 Thk. Pioneer. PO/06204310. |
| 27.850 | .859 i.d. x .139 Thk. Pioneer. PO/11208713. |
| 27.855 | Pioneer PO/23720021. |
| 27.856 | POS/2507/MP/658. |
| 27.857 | 2.100 i.d. x .070 Thk. Pioneer. PO/25021221. |
| 27.858 | POS/2506/MP/658. |
| 27.859 | SH/96/44 Superfect. |
| 27.860 | PP73C Dowty. |
| 27.861 | 5-004/MP/701. |
| 27.862 | SH/96/11 Superfect. |
| 27.025 | Pioneer POS/505/MH/658 |
| 27.148 | Dowty list 5 Mk26 pp 49c. |
| 27.182 | Dowty 5 Mk 10 pp 49c. |
| 27.193 | Dowty pp 49c/18 list 5. |

Section 28

Rivets

| Part Ref. | |
|-----------|---|
| 28.902 | 5/32 Dia. x 1/2 in. long R.H. Steel. |
| 28.903 | 1/8 Dia. x 1/4 in. long Copper Round Head. |
| 28.904 | 1/8 Dia. x 3/4 in. long Copper Hollow. |
| 28.905 | 3/8 Dia. x 7/16 in. long Copper c/sunk Head. |
| 28.906 | 5/32 Dia. Copper, c/sunk- Head. |
| 28.907 | 1/4 Dia. x 7/16 in. long Copper c/sunk Head. |
| 28.908 | 1/2 Dia. x 1/2 in. long x 3/16 Dia. Hd. Hollow Copper. |
| 28.909 | 3/8 Dia. x 3/8 in. long c/sunk Steel. |
| 28.910 | 3/16 Dia. x 3/8 in. long R.H. Steel. |
| 28.911 | No.4 x 3/16 Pan Head. |
| 28.912 | No.4 x 1/2 Pan Head. |
| 28.913 | 3/32 Dia. x 5/8 in. long R.H. Steel. |

Section 45**Cap Screws – Hex Socket Head
10 x 24 t.p.i.**

| Part Ref. | |
|-----------|-------------------------------|
| 45.200 | 10 x 24 t.p.i. x ¼ in. long. |
| 45.201 | 10 x 24 t.p.i. x ⅜ in. long. |
| 45.202 | 10 x 24 t.p.i. x ½ in. long. |
| 45.203 | 10 x 24 t.p.i. x ⅝ in. long. |
| 45.204 | 10 x 24 t.p.i. x ¾ in. long. |
| 45.205 | 10 x 24 t.p.i. x ⅞ in. long. |
| 45.206 | 10 x 24 t.p.i. x 1 in. long. |
| 45.207 | 10 x 24 t.p.i. x 1¼ in. long. |
| 45.208 | 10 x 24 t.p.i. x 1½ in. long. |
| 45.209 | 10 x 24 t.p.i. x 1¾ in. long. |
| 45.210 | 10 x 24 t.p.i. x 2 in. long. |

Section 46**Cap Screws – Hex Socket Head
¼ in. U.N.C.**

| Part Ref. | |
|-----------|-------------------------|
| 46.211 | ¼ U.N.C. x ⅜ in. long. |
| 46.212 | ¼ U.N.C. x ½ in. long. |
| 46.213 | ¼ U.N.C. x ⅝ in. long. |
| 46.214 | ¼ U.N.C. x ¾ in. long. |
| 46.215 | ¼ U.N.C. x ⅞ in. long. |
| 46.216 | ¼ U.N.C. x 1 in. long. |
| 46.217 | ¼ U.N.C. x 1¼ in. long. |
| 46.218 | ¼ U.N.C. x 1½ in. long. |
| 46.219 | ¼ U.N.C. x 1¾ in. long. |
| 46.220 | ¼ U.N.C. x 2 in. long. |
| 46.221 | ¼ U.N.C. x 2¼ in. long. |
| 46.222 | ¼ U.N.C. x 2½ in. long. |

Section 47**Cap Screws – Hex Socket Head
⅝ in. U.N.C.**

| Part Ref. | |
|-----------|-------------------------|
| 47.223 | ⅝ U.N.C. x ½ in. long. |
| 47.224 | ⅝ U.N.C. x ⅝ in. long. |
| 47.225 | ⅝ U.N.C. x ¾ in. long. |
| 47.226 | ⅝ U.N.C. x ⅞ in. long. |
| 47.227 | ⅝ U.N.C. x 1 in. long. |
| 47.228 | ⅝ U.N.C. x 1¼ in. long. |
| 47.229 | ⅝ U.N.C. x 1½ in. long. |
| 47.230 | ⅝ U.N.C. x 1¾ in. long. |
| 47.231 | ⅝ U.N.C. x 2 in. long. |
| 47.232 | ⅝ U.N.C. x 2¼ in. long. |
| 47.233 | ⅝ U.N.C. x 2½ in. long. |
| 47.234 | ⅝ U.N.C. x 3 in. long. |

Section 48**Cap Screws – Hex Socket Head
⅜ in. U.N.C.**

| Part Ref. | |
|-----------|-------------------------|
| 48.236 | ⅜ U.N.C. x ½ in. long. |
| 48.237 | ⅜ U.N.C. x ⅝ in. long. |
| 48.238 | ⅜ U.N.C. x ¾ in. long. |
| 48.239 | ⅜ U.N.C. x ⅞ in. long. |
| 48.240 | ⅜ U.N.C. x 1 in. long. |
| 48.241 | ⅜ U.N.C. x 1¼ in. long. |
| 48.242 | ⅜ U.N.C. x 1½ in. long. |
| 48.243 | ⅜ U.N.C. x 1¾ in. long. |
| 48.244 | ⅜ U.N.C. x 2 in. long. |
| 48.245 | ⅜ U.N.C. x 2¼ in. long. |
| 48.246 | ⅜ U.N.C. x 2½ in. long. |
| 48.247 | ⅜ U.N.C. x 3 in. long. |
| 48.248 | ⅜ U.N.C. x 3½ in. long. |
| 48.249 | ⅜ U.N.C. x 4 in. long. |

Section 49**Cap Screws – Hex Socket Head
⅞ in. U.N.C.**

| Part Ref. | |
|-----------|-------------------------|
| 49.250 | ⅞ U.N.C. x 1 in. long. |
| 49.251 | ⅞ U.N.C. x 1¼ in. long. |
| 49.252 | ⅞ U.N.C. x 1½ in. long. |
| 49.253 | ⅞ U.N.C. x 2 in. long. |
| 49.254 | ⅞ U.N.C. x 2¼ in. long. |
| 49.255 | ⅞ U.N.C. x 2½ in. long. |
| 49.256 | ⅞ U.N.C. x 3 in. long. |

Section 50**Cap Screws – Hex Socket Head
½ in. U.N.C.**

| Part Ref. | |
|-----------|-------------------------|
| 50.257 | ½ U.N.C. x ¾ in. long. |
| 50.258 | ½ U.N.C. x 1 in. long. |
| 50.259 | ½ U.N.C. x 1¼ in. long. |
| 50.260 | ½ U.N.C. x 1½ in. long. |
| 50.261 | ½ U.N.C. x 2 in. long. |
| 50.262 | ½ U.N.C. x 2½ in. long. |
| 50.263 | ½ U.N.C. x 3 in. long. |
| 50.264 | ½ U.N.C. x 3½ in. long. |
| 50.265 | ½ U.N.C. x 4 in. long. |
| 50.266 | ½ U.N.C. x 4½ in. long. |
| 50.267 | ½ U.N.C. x 5 in. long. |
| 50.268 | ½ U.N.C. x 1¾ in. long. |
| 50.269 | ½ U.N.C. x 2¼ in. long. |

Section 51**Cap Screws – Hex Socket Head
⅝ in. U.N.C.**

| Part Ref. | |
|-----------|-------------------------|
| 51.268 | ⅝ U.N.C. x 1¼ in. long. |
| 51.269 | ⅝ U.N.C. x 1½ in. long. |
| 51.270 | ⅝ U.N.C. x 1¾ in. long. |
| 51.271 | ⅝ U.N.C. x 2 in. long. |
| 51.272 | ⅝ U.N.C. x 2½ in. long. |
| 51.273 | ⅝ U.N.C. x 3 in. long. |
| 51.274 | ⅝ U.N.C. x 3½ in. long. |
| 51.275 | ⅝ U.N.C. x 4 in. long. |
| 51.276 | ⅝ U.N.C. x 4½ in. long. |
| 51.277 | ⅝ U.N.C. x 5 in. long. |
| 51.278 | ⅝ U.N.C. x 5½ in. long. |
| 51.279 | ⅝ U.N.C. x 6 in. long. |

Section 52**Cap Screws – Hex Socket Head
¾ in. U.N.C.**

| Part Ref. | |
|-----------|-------------------------|
| 52.280 | ¾ U.N.C. x 1½ in. long. |
| 52.281 | ¾ U.N.C. x 2 in. long. |
| 52.282 | ¾ U.N.C. x 2½ in. long. |
| 52.283 | ¾ U.N.C. x 3 in. long. |
| 52.284 | ¾ U.N.C. x 3½ in. long. |
| 52.285 | ¾ U.N.C. x 4 in. long. |
| 52.286 | ¾ U.N.C. x 4½ in. long. |
| 52.287 | ¾ U.N.C. x 5 in. long. |
| 52.288 | ¾ U.N.C. x 5½ in. long. |
| 52.289 | ¾ U.N.C. x 6 in. long. |

Section 53**C/Sunk Screws – Hex Socket
Head 10 x 24 t.p.i.**

| Part Ref. | |
|-----------|------------------------------|
| 53.300 | 10 x 24 t.p.i. x ¼ in. long. |
| 53.301 | 10 x 24 t.p.i. x ⅝ in. long. |
| 53.302 | 10 x 24 t.p.i. x ⅜ in. long. |
| 53.303 | 10 x 24 t.p.i. x ½ in. long. |
| 53.304 | 10 x 24 t.p.i. x ⅝ in. long. |
| 53.305 | 10 x 24 t.p.i. x ¾ in. long. |
| 53.306 | 10 x 24 t.p.i. x 1 in. long. |

Section 54**C/Sunk Screws – Hex Socket
Head ¼ in. U.N.C.**

| Part Ref. | |
|-----------|-------------------------|
| 54.307 | ¼ U.N.C. x ⅜ in. long. |
| 54.308 | ¼ U.N.C. x ½ in. long. |
| 54.309 | ¼ U.N.C. x ⅝ in. long. |
| 54.310 | ¼ U.N.C. x ¾ in. long. |
| 54.311 | ¼ U.N.C. x ⅞ in. long. |
| 54.312 | ¼ U.N.C. x 1 in. long. |
| 54.313 | ¼ U.N.C. x 1¼ in. long. |
| 54.314 | ¼ U.N.C. x 1½ in. long. |
| 54.315 | ¼ U.N.C. x 1¾ in. long. |

Section 55**C/Sunk Screws – Hex Socket
Head ⅝ in. U.N.C.**

| Part Ref. | |
|-----------|-------------------------|
| 55.316 | ⅝ U.N.C. x ½ in. long. |
| 55.317 | ⅝ U.N.C. x ⅝ in. long. |
| 55.318 | ⅝ U.N.C. x ¾ in. long. |
| 55.319 | ⅝ U.N.C. x 1 in. long. |
| 55.320 | ⅝ U.N.C. x 1¼ in. long. |
| 55.321 | ⅝ U.N.C. x 1½ in. long. |

Section 56**C/Sunk Screws – Hex Socket
Head ⅜ in. U.N.C.**

| Part Ref. | |
|-----------|-------------------------|
| 56.322 | ⅜ U.N.C. x ½ in. long. |
| 56.323 | ⅜ U.N.C. x ⅝ in. long. |
| 56.324 | ⅜ U.N.C. x ¾ in. long. |
| 56.325 | ⅜ U.N.C. x 1 in. long. |
| 56.326 | ⅜ U.N.C. x 1½ in. long. |
| 56.327 | ⅜ U.N.C. x 1¾ in. long. |
| 56.328 | ⅜ U.N.C. x 1¼ in. long. |

Section 57**C/Sunk Screws – Hex Socket
Head ½ in. U.N.C.**

| Part Ref. | |
|-----------|-------------------------|
| 57.329 | ½ U.N.C. x ¾ in. long. |
| 57.330 | ½ U.N.C. x 1 in. long. |
| 57.331 | ½ U.N.C. x 1¼ in. long. |
| 57.332 | ½ U.N.C. x 1½ in. long. |
| 57.333 | ½ U.N.C. x 1¾ in. long. |
| 57.334 | ½ U.N.C. x 2 in. long. |

Section 58**Cup Point Screws – Hex Socket
Set 10 x 24 t.p.i.**

| | |
|-----------|---|
| Part Ref. | |
| 58.342 | 10 x 24 t.p.i. x $\frac{3}{16}$ in. long. |
| 58.343 | 10 x 24 t.p.i. x $\frac{1}{4}$ in. long. |
| 58.344 | 10 x 24 t.p.i. x $\frac{5}{16}$ in. long. |
| 58.345 | 10 x 24 t.p.i. x $\frac{3}{8}$ in. long. |
| 58.346 | 10 x 24 t.p.i. x $\frac{7}{16}$ in. long. |
| 58.347 | 10 x 24 t.p.i. x $\frac{1}{2}$ in. long. |
| 58.348 | 10 x 24 t.p.i. x $\frac{5}{8}$ in. long. |
| 58.349 | 10 x 24 t.p.i. x $\frac{3}{4}$ in. long. |

Section 59**Cup Point Screws – Hex Socket
Set $\frac{1}{4}$ in. U.N.C.**

| | |
|-----------|---|
| Part Ref. | |
| 59.350 | $\frac{1}{4}$ U.N.C. x $\frac{1}{4}$ in. long. |
| 59.351 | $\frac{1}{4}$ U.N.C. x $\frac{5}{16}$ in. long. |
| 59.352 | $\frac{1}{4}$ U.N.C. x $\frac{3}{8}$ in. long. |
| 59.353 | $\frac{1}{4}$ U.N.C. x $\frac{7}{16}$ in. long. |
| 59.354 | $\frac{1}{4}$ U.N.C. x $\frac{1}{2}$ in. long. |
| 59.355 | $\frac{1}{4}$ U.N.C. x $\frac{5}{8}$ in. long. |
| 59.356 | $\frac{1}{4}$ U.N.C. x $\frac{3}{4}$ in. long. |
| 59.357 | $\frac{1}{4}$ U.N.C. x 1 in. long. |
| 59.358 | $\frac{1}{4}$ U.N.C. x $1\frac{1}{4}$ in. long. |
| 59.359 | $\frac{1}{4}$ U.N.C. x $1\frac{1}{2}$ in. long. |

Section 60**Cup Point Screws – Hex Socket
Set $\frac{5}{16}$ in. U.N.C.**

| | |
|-----------|--|
| Part Ref. | |
| 60.360 | $\frac{5}{16}$ U.N.C. x $\frac{1}{4}$ in. long. |
| 60.361 | $\frac{5}{16}$ U.N.C. x $\frac{5}{16}$ in. long. |
| 60.362 | $\frac{5}{16}$ U.N.C. x $\frac{3}{8}$ in. long. |
| 60.363 | $\frac{5}{16}$ U.N.C. x $\frac{7}{16}$ in. long. |
| 60.364 | $\frac{5}{16}$ U.N.C. x $\frac{1}{2}$ in. long. |
| 60.365 | $\frac{5}{16}$ U.N.C. x $\frac{3}{4}$ in. long. |
| 60.366 | $\frac{5}{16}$ U.N.C. x $\frac{3}{4}$ in. long. |
| 60.367 | $\frac{5}{16}$ U.N.C. x 1 in. long. |
| 60.368 | $\frac{5}{16}$ U.N.C. x $1\frac{1}{4}$ in. long. |
| 60.369 | $\frac{5}{16}$ U.N.C. x $1\frac{1}{2}$ in. long. |

Section 61**Cup Point Screws – Hex Socket
Set $\frac{3}{8}$ in. U.N.C.**

| | |
|-----------|---|
| Part Ref. | |
| 61.370 | $\frac{3}{8}$ U.N.C. x $\frac{3}{8}$ in. long. |
| 61.371 | $\frac{3}{8}$ U.N.C. x $\frac{1}{2}$ in. long. |
| 61.372 | $\frac{3}{8}$ U.N.C. x $\frac{5}{8}$ in. long. |
| 61.373 | $\frac{3}{8}$ U.N.C. x $\frac{3}{4}$ in. long. |
| 61.374 | $\frac{3}{8}$ U.N.C. x 1 in. long. |
| 61.375 | $\frac{3}{8}$ U.N.C. x $1\frac{1}{4}$ in. long. |
| 61.376 | $\frac{3}{8}$ U.N.C. x $1\frac{1}{2}$ in. long. |
| 61.377 | $\frac{3}{8}$ U.N.C. x $1\frac{3}{4}$ in. long. |

Section 62**Cup Point Screws – Hex Socket
Set $\frac{7}{16}$ in. U.N.C.**

| | |
|-----------|--|
| Part Ref. | |
| 62.378 | $\frac{7}{16}$ U.N.C. x $\frac{7}{16}$ in. long. |
| 62.379 | $\frac{7}{16}$ U.N.C. x $\frac{1}{2}$ in. long. |
| 62.380 | $\frac{7}{16}$ U.N.C. x $\frac{3}{8}$ in. long. |
| 62.381 | $\frac{7}{16}$ U.N.C. x $\frac{3}{4}$ in. long. |
| 62.382 | $\frac{7}{16}$ U.N.C. x 1 in. long. |
| 62.383 | $\frac{7}{16}$ U.N.C. x $1\frac{1}{4}$ in. long. |

Section 63**Cup Point Screws – Hex Socket
Set $\frac{1}{2}$ in. U.N.C.**

| | |
|-----------|---|
| Part Ref. | |
| 63.384 | $\frac{1}{2}$ U.N.C. x $\frac{1}{2}$ in. long. |
| 63.385 | $\frac{1}{2}$ U.N.C. x $\frac{5}{8}$ in. long. |
| 63.386 | $\frac{1}{2}$ U.N.C. x $\frac{3}{4}$ in. long. |
| 63.387 | $\frac{1}{2}$ U.N.C. x 1 in. long. |
| 63.388 | $\frac{1}{2}$ U.N.C. x $1\frac{1}{4}$ in. long. |
| 63.389 | $\frac{1}{2}$ U.N.C. x $1\frac{1}{2}$ in. long. |
| 63.390 | $\frac{1}{2}$ U.N.C. x 2 in. long. |

Section 64**Cup Point Screws – Hex Socket
Set $\frac{5}{8}$ in. U.N.C.**

| | |
|-----------|---|
| Part Ref. | |
| 64.391 | $\frac{5}{8}$ U.N.C. x $\frac{5}{8}$ in. long. |
| 64.392 | $\frac{5}{8}$ U.N.C. x $\frac{3}{4}$ in. long. |
| 64.393 | $\frac{5}{8}$ U.N.C. x 1 in. long. |
| 64.394 | $\frac{5}{8}$ U.N.C. x $1\frac{1}{2}$ in. long. |

Section 65**Cup Point Screws – Hex Socket
Set $\frac{3}{4}$ in. U.N.C.**

| | |
|-----------|---|
| Part Ref. | |
| 65.395 | $\frac{3}{4}$ U.N.C. x $\frac{3}{4}$ in. long. |
| 65.396 | $\frac{3}{4}$ U.N.C. x 1 in. long. |
| 65.397 | $\frac{3}{4}$ U.N.C. x $1\frac{1}{2}$ in. long. |

Section 66 **$\frac{1}{2}$ Dog Screws – Hex Socket Set
10 x 24 t.p.i.**

| | |
|-----------|---|
| Part Ref. | |
| 66.410 | 10 x 24 t.p.i. x $\frac{3}{16}$ in. long. |
| 66.411 | 10 x 24 t.p.i. x $\frac{1}{4}$ in. long. |
| 66.412 | 10 x 24 t.p.i. x $\frac{5}{16}$ in. long. |
| 66.413 | 10 x 24 t.p.i. x $\frac{3}{8}$ in. long. |
| 66.414 | 10 x 24 t.p.i. x $\frac{1}{2}$ in. long. |
| 66.415 | 10 x 24 t.p.i. x $\frac{5}{8}$ in. long. |
| 66.416 | 10 x 24 t.p.i. x $\frac{3}{4}$ in. long. |

Section 67 **$\frac{1}{2}$ Dog Screws – Hex Socket Set
 $\frac{1}{4}$ in. U.N.C.**

| | |
|-----------|---|
| Part Ref. | |
| 67.417 | $\frac{1}{4}$ U.N.C. x $\frac{1}{4}$ in. long. |
| 67.418 | $\frac{1}{4}$ U.N.C. x $\frac{5}{16}$ in. long. |
| 67.419 | $\frac{1}{4}$ U.N.C. x $\frac{3}{8}$ in. long. |
| 67.420 | $\frac{1}{4}$ U.N.C. x $\frac{7}{16}$ in. long. |
| 67.421 | $\frac{1}{4}$ U.N.C. x $\frac{1}{2}$ in. long. |
| 67.422 | $\frac{1}{4}$ U.N.C. x $\frac{9}{16}$ in. long. |
| 67.423 | $\frac{1}{4}$ U.N.C. x $\frac{5}{8}$ in. long. |
| 67.424 | $\frac{1}{4}$ U.N.C. x $\frac{3}{4}$ in. long. |
| 67.425 | $\frac{1}{4}$ U.N.C. x 1 in. long. |
| 67.426 | $\frac{1}{4}$ U.N.C. x $1\frac{1}{4}$ in. long. |
| 67.427 | $\frac{1}{4}$ U.N.C. x $1\frac{1}{2}$ in. long. |

Section 68 **$\frac{1}{2}$ Dog Screws – Hex Socket Set
 $\frac{5}{16}$ in. U.N.C.**

| | |
|-----------|--|
| Part Ref. | |
| 68.428 | $\frac{5}{16}$ U.N.C. x $\frac{5}{16}$ in. long. |
| 68.429 | $\frac{5}{16}$ U.N.C. x $\frac{3}{8}$ in. long. |
| 68.430 | $\frac{5}{16}$ U.N.C. x $\frac{7}{16}$ in. long. |
| 68.431 | $\frac{5}{16}$ U.N.C. x $\frac{1}{2}$ in. long. |
| 68.432 | $\frac{5}{16}$ U.N.C. x $\frac{5}{8}$ in. long. |
| 68.433 | $\frac{5}{16}$ U.N.C. x $\frac{3}{4}$ in. long. |
| 68.434 | $\frac{5}{16}$ U.N.C. x $\frac{7}{8}$ in. long. |
| 68.435 | $\frac{5}{16}$ U.N.C. x 1 in. long. |
| 68.436 | $\frac{5}{16}$ U.N.C. x $1\frac{1}{4}$ in. long. |
| 68.437 | $\frac{5}{16}$ U.N.C. x $1\frac{1}{2}$ in. long. |

Section 69 **$\frac{1}{2}$ Dog Screws – Hex Socket Set
 $\frac{3}{8}$ in. U.N.C.**

| | |
|-----------|---|
| Part Ref. | |
| 69.438 | $\frac{3}{8}$ U.N.C. x $\frac{3}{8}$ in. long. |
| 69.439 | $\frac{3}{8}$ U.N.C. x $\frac{1}{2}$ in. long. |
| 69.440 | $\frac{3}{8}$ U.N.C. x $\frac{5}{8}$ in. long. |
| 69.441 | $\frac{3}{8}$ U.N.C. x $\frac{3}{4}$ in. long. |
| 69.442 | $\frac{3}{8}$ U.N.C. x 1 in. long. |
| 69.443 | $\frac{3}{8}$ U.N.C. x $1\frac{1}{4}$ in. long. |
| 69.444 | $\frac{3}{8}$ U.N.C. x $1\frac{1}{2}$ in. long. |
| 69.445 | $\frac{3}{8}$ U.N.C. x 2 in. long. |

Section 70 **$\frac{1}{2}$ Dog Screws – Hex Socket Set
 $\frac{1}{2}$ in. U.N.C.**

| | |
|-----------|---|
| Part Ref. | |
| 70.445 | $\frac{1}{2}$ U.N.C. x $\frac{1}{2}$ in. long. |
| 70.446 | $\frac{1}{2}$ U.N.C. x $\frac{5}{8}$ in. long. |
| 70.447 | $\frac{1}{2}$ U.N.C. x $\frac{3}{4}$ in. long. |
| 70.448 | $\frac{1}{2}$ U.N.C. x 1 in. long. |
| 70.449 | $\frac{1}{2}$ U.N.C. x $1\frac{1}{4}$ in. long. |
| 70.450 | $\frac{1}{2}$ U.N.C. x $1\frac{1}{2}$ in. long. |
| 70.451 | $\frac{1}{2}$ U.N.C. x 2 in. long. |

Section 71 **$\frac{1}{2}$ Dog Screws – Hex Socket Set
 $\frac{5}{8}$ in. U.N.C.**

| | |
|-----------|---|
| Part Ref. | |
| 71.452 | $\frac{5}{8}$ U.N.C. x $\frac{3}{4}$ in. long. |
| 71.453 | $\frac{5}{8}$ U.N.C. x 1 in. long. |
| 71.454 | $\frac{5}{8}$ U.N.C. x $1\frac{1}{2}$ in. long. |

Section 72**B.A. Cap Screws – Hex Socket
Head**

| | |
|-----------|-----------------------------------|
| Part Ref. | |
| 72.493 | 3 B.A. x $\frac{3}{8}$ in. long. |
| 72.494 | 3 B.A. x $\frac{1}{2}$ in. long. |
| 72.495 | 3 B.A. x $\frac{5}{8}$ in. long. |
| 72.496 | 3 B.A. x $\frac{3}{4}$ in. long. |
| 70.497 | 3 B.A. x $1\frac{1}{4}$ in. long. |
| 72.498 | 3 B.A. x $\frac{7}{8}$ in. long. |
| 72.499 | 3 B.A. x 1 in. long. |

Section 73**Special Screws**

| | |
|-----------|--|
| Part Ref. | |
| 73.106 | No. 10 x 24 x $\frac{3}{4}$ in. long Socket cap domed head. |
| 73.143 | $\frac{1}{4}$ U.N.C. x $\frac{3}{8}$ in. long domed head. |
| 73.169 | 10 x 24 t.p.i. x $\frac{1}{4}$ in. c/sunk screw (slotted). |
| 73.194 | $\frac{5}{16}$ in. BSW x $1\frac{1}{4}$ in. long Hex head. Set screw. |
| 73.195 | 2 BA x $\frac{1}{2}$ in. long. Hollow socket set screw. |
| 73.196 | $\frac{1}{4}$ in. BSW x $\frac{5}{8}$ in. long S.H.C.S. |
| 73.197 | $\frac{1}{4}$ in. BSW x $\frac{7}{8}$ in. long S.H.C.S. |
| 73.198 | 2 BA x $\frac{1}{2}$ in. long Hex head set screw. |
| 73.199 | $\frac{1}{4}$ in. BSW x $\frac{1}{2}$ in. long S.H.C.S. |
| 73.235 | $\frac{5}{16}$ U.N.C. x $3\frac{1}{2}$ in. long Cap screw hex socket head. |
| 73.450 | 6 BA x $\frac{3}{8}$ in. long Cheese head. |
| 73.471 | 4 BA x 1 in. long Cheese head. |

Section 73 continued

Part Ref.

- 73.474 4 BA x $\frac{3}{4}$ in. long Cheese head.
- 73.479 44 x $\frac{1}{4}$ in. Drive screws.
- 73.480 44 x $\frac{5}{16}$ in. Drive screws.
- 73.481 46 x $\frac{5}{16}$ in. Drive screws.
- 73.482 $\frac{1}{4}$ U.N.C. x $\frac{3}{8}$ in. long SKT. Hd. set screw full dog.
- 73.483 2 BA x $\frac{5}{8}$ in. long Cheese head.
- 73.485 2 BA x $\frac{3}{8}$ in. long Cheese head.
- 73.486 2 BA x $\frac{1}{2}$ in. long Cheese head.
- 73.487 $\frac{1}{4}$ U.N.C. x $\frac{3}{8}$ in. long Mushroom head.
- 73.493 No.8 x 32 U.N.C. x $\frac{3}{8}$ in. long cap screw.
- 73.494 $\frac{1}{4}$ U.N.C. x $\frac{3}{8}$ in. long cap screw series CX large head
- 73.507 3 BA x $\frac{3}{4}$ in. long set screw cup point.
- 73.510 $\frac{7}{16}$ U.N.F. x $\frac{7}{16}$ in. long set screw cup point.
- 73.511 $\frac{3}{16}$ U.N.C. x $\frac{3}{8}$ in. long Mushroom head.
- 73.512 $\frac{7}{64}$ Dia. c/sunk head self tapping.
- 73.513 No.4 x $\frac{5}{16}$ in. long 'U' self tapping.
- 73.514 $\frac{1}{8}$ U.N.C. x $\frac{3}{8}$ in. long brass round head.
- 73.515 $\frac{1}{2}$ U.N.F. x $\frac{1}{2}$ in. long socket set cup point.
- 73.516 $\frac{5}{16}$ U.N.F. x $\frac{3}{8}$ in. long socket set cup point.
- 73.517 2 BA x $\frac{7}{8}$ in. long SKT.Csk Hd. screw.
- 73.518 2 BA x $\frac{1}{2}$ in. long Csk Hd screw.
- 73.519 2 BA x $\frac{3}{4}$ in. long SKT.Csk Hd. screw.
- 73.472 2 BA x $\frac{1}{4}$ in. long Cheese head.
- 73.473 2 BA x 1 in. long socket set screw oval point.
- 73.489 $\frac{1}{4}$ B.S.F. x $\frac{5}{8}$ in. long S.H.C.S.
- 73.520 $\frac{1}{4}$ U.N.C. x 1 in. long flat head.
- 73.521 2 BA x $\frac{3}{8}$ round head brass.
- 73.522 $\frac{5}{16}$ U.N.C. x $\frac{3}{4}$ in. wedglok set screw.
- 73.523 $\frac{5}{16}$ U.N.C. x 1 in. wedglok set screw.
- 73.524 4 BA x $\frac{1}{2}$ in. long Cheese head.
- 73.525 6 BA x $\frac{5}{8}$ in. long Cheese head.
- 73.526 4 BA x $\frac{13}{16}$ in. long Cheese head.
- 73.527 4 BA x $\frac{1}{2}$ in. long Cheese head.

**Section 79
Oil Seals**

| Part Ref. | |
|-----------|---|
| 79.036 | Weston. W22515637.R4. |
| 79.037 | Weston. W23727550.R4. |
| 79.062 | Weston. W16211237.R. |
| 79.069 | Weston. W913708225. |
| 79.071 | Angus. MS012. |
| 79.171 | Weston. W15011225. R4. |
| 79.181 | Weston. WB.16911037 R21. |
| 79.188 | Burtonwood. 6303. |
| 79.860 | $\frac{7}{8}$ i.d. x $1\frac{3}{8}$ o.d. x $\frac{1}{4}$ wide Angus M15 014 W13708725 R4. |
| 79.861 | $1\frac{5}{16}$ i.d. x $1\frac{3}{8}$ o.d. x $\frac{5}{16}$ wide. Burtonwood 9907. |
| 79.862 | $1\frac{5}{16}$ i.d. x $1\frac{1}{2}$ o.d. x $1\frac{13}{32}$ wide. W15009340.R4. |
| 79.863 | 1 in. i.d. x $1\frac{5}{8}$ o.d. x $\frac{3}{8}$ wide. W16210037.R4. |
| 79.864 | 1 in. i.d. x $1\frac{3}{4}$ o.d. x $\frac{1}{4}$ wide. W17510025.R4. |
| 79.865 | $1\frac{1}{16}$ i.d. x $1\frac{3}{8}$ o.d. x $\frac{5}{16}$ wide. W16210631.R4. |
| 79.866 | $\frac{1}{4}$ i.d. x $1\frac{1}{16}$ o.d. x $\frac{3}{8}$ wide. W16912537.R4. |
| 79.867 | $1\frac{3}{8}$ i.d. x $1\frac{7}{8}$ o.d. x $\frac{5}{16}$ wide. W18713731.R4. |
| 79.868 | $1\frac{5}{8}$ i.d. x $2\frac{3}{16}$ o.d. x $\frac{3}{8}$ wide. W21916237.R4. |
| 79.869 | Nylos grease ring 6205 JV 52 m/m o.d. |
| 79.878 | Burtonwood. W15711039R4. |
| 79.779 | Burtonwood. 137-1828-12. |
| 79.880 | Mis.012.Gaco. MOS/075-125 -8. |
| 79.881 | MOS/100-M5-024. |
| 79.882 | W16211231R4. |

**Section 80
Oil Sights**

| Part Ref. | |
|-----------|--|
| 80.870 | Perspex oilsight.SK625. |
| 80.871 | $1\frac{1}{4}$ o.d. Tecalemit. IC4610. |
| 80.873 | $1\frac{1}{2}$ o.d. Tecalemit. IC4612. |

**Section 81
Spanners & Wrenches**

| Part Ref. | |
|-----------|--|
| 81.151 | $1\frac{5}{16}$ a/f x $\frac{3}{4}$ a/f open end spanner. |
| 81.152 | $\frac{9}{16}$ a/f x $1\frac{11}{16}$ a/f open end spanner. |
| 81.153 | $\frac{7}{16}$ sq. x $\frac{1}{2}$ a/f combination spanner. |
| 81.154 | $1\frac{5}{16}$ a/f x $1\frac{11}{16}$ a/f box Spanner. |
| 81.155 | Tommy Bar. |
| 81.156 | $\frac{3}{8}$ a/f Allen hexagon key. |
| 81.157 | $\frac{5}{16}$ a/f Allen hexagon key. |
| 81.158 | $\frac{7}{32}$ a/f Allen hexagon key. |
| 81.159 | $\frac{3}{16}$ a/f Allen hexagon key. |
| 81.161 | $\frac{1}{8}$ a/f Allen hexagon key. |
| 81.162 | $\frac{3}{32}$ a/f Allen hexagon key. |
| 81.163 | $\frac{3}{8}$ x $\frac{7}{16}$ U.N.C. open end spanner. |
| 81.164 | $1\frac{5}{16}$ x $1\frac{1}{8}$ a/f box spanner. |
| 81.165 | $\frac{1}{2}$ x $\frac{3}{4}$ a/f ring spanner. |

**Section 82
Springs**

| Part Ref. | |
|-----------|---|
| 82.063 | Flexo.163208. |
| 82.064 | 707.0040 0.240 Dia. x $\frac{9}{16}$ in. free length. |
| 82.065 | 707.0035 0.312 Dia. x $1\frac{7}{16}$ in. free length. |
| 82.066 | .237 o/d x $1\frac{1}{8}$ in. free length. |
| 82.068 | 707.0005 0.175 o/d x $\frac{3}{8}$ in. free length. |
| 82.072 | 707.0036 0.562 Dia. x $2\frac{1}{2}$ in. free length. |
| 82.076 | 707.0045 0.500 i.d. x 3 in. free length. |
| 82.078 | 707.0028 0.237 Dia. x $1\frac{1}{2}$ in. free length. |
| 82.082 | Flexo 103108. |
| 82.102 | 707.0030 0.625 Dia. x $1\frac{1}{2}$ in. free length. |
| 82.103 | 707.0030 0.3125 Dia. x $1\frac{1}{4}$ in. free length. |
| 82.105 | Flexo 82504. |
| 82.107 | Flexo 62604. |
| 82.108 | $\frac{3}{8}$ D.P. x $\frac{7}{8}$ in. free length. |
| 82.109 | Flexo 136314. |
| 82.110 | 707.0008 $\frac{3}{8}$ Dia. x 2 in. free length. |
| 82.111 | 707.0024 0.350 Dia. x $1\frac{3}{4}$ in. free length. |
| 82.112 | 707.0032 $1\frac{13}{16}$ Dia. x $1\frac{1}{8}$ in. free length. |
| 82.113 | 707.0027 $\frac{1}{2}$ Dia. x $\frac{1}{2}$ in. free length. |
| 82.120 | 707.0046 $\frac{5}{16}$ Dia. x $\frac{5}{8}$ in. free length. |
| 82.121 | 707.0043 $\frac{9}{16}$ Dia. x $1\frac{5}{8}$ in. free length. |
| 82.122 | 707.0025 0.296 Dia. x $1\frac{1}{16}$ free length. |
| 82.123 | 707.0020 0.885 Dia. x $1\frac{3}{4}$ in. free length. |
| 82.132 | 707.0034 $1\frac{1}{64}$ Dia. x 1 in. free length. |
| 82.175 | Compression spring. |
| 82.179 | Tension spring. |
| 82.794 | 707.0023 $\frac{1}{4}$ Dia. x $1\frac{13}{16}$ in. free length. |
| 82.795 | 707.0021 $\frac{1}{4}$ o/d x $\frac{1}{2}$ in. free length. |
| 82.796 | Flexo 82804. |
| 82.797 | $\frac{1}{4}$ o/d x $\frac{5}{8}$ in. free length. |
| 82.798 | Flexo 82806. |
| 82.799 | Flexo 82708. |
| 82.800 | Flexo 92910. |
| 82.801 | Flexo 93012. |
| 82.802 | Flexo 93107. |
| 82.803 | Flexo 103210. |
| 82.804 | Flexo 123106. |
| 82.805 | Flexo 143112. |
| 82.806 | Flexo 203512. |
| 82.807 | Flexo 223412. |
| 82.808 | Flexo 223612. |
| 82.809 | Flexo 243698. |
| 82.810 | Flexo 243724. |
| 82.811 | Flexo 323608. |
| 82.812 | 707.0014 0.180 Dia. x $2\frac{1}{32}$ in. free length. |
| 82.813 | Flexo 143008. |
| 83.814 | 707.0031 $\frac{3}{8}$ Dia. x 14 SWG |
| 82.815 | 707.0015 $\frac{3}{16}$ Dia. x $1\frac{1}{8}$ OA. |
| 82.816 | 707.0022 $\frac{5}{16}$ Dia. x $2\frac{3}{8}$ OA. |
| 82.817 | 707.0016 $\frac{1}{2}$ Dia. x $2\frac{3}{16}$ in. free length. |
| 82.818 | 707.0033 0.240 Dia. x $\frac{5}{8}$ in. free length. |
| 82.819 | 22.5 m/m x 11.2 m/m x 8 m/m Schnorr disc spring |

Section 82 continued

| Part Ref. | |
|-----------|---|
| 82.820 | $1\frac{1}{8}$ o/d x .453 i.d. x .040 Beleville No.7. |
| 82.821 | $\frac{5}{8}$ i.d. x $1\frac{15}{32}$ o/d Crinkle washer spring. |
| 82.822 | LSE 8596. Crinkle washer spring. |
| 82.823 | Flexo 62704. |
| 82.824 | Flexo 103208. |
| 82.825 | Flexo 122908. |
| 82.826 | Flexo 82805. |
| 82.827 | Flexo 62502. |
| 82.828 | Flexo 237508. |
| 82.829 | Flexo AA3516. |
| 82.830 | Flexo 123306. |
| 82.831 | Flexo 122906. |
| 82.832 | Flexo 153212. |
| 82.833 | Flexo 62603. |
| 82.834 | Flexo 143008. |
| 82.835 | Flexo 163314. |
| 82.836 | Flexo 244012. |
| 82.837 | Flexo 112808. |
| 82.838 | Flexo 112807. |
| 82.839 | Flexo 112908. |

**Section 83
Switches**

| Part Ref. | |
|-----------|-------------------------------------|
| 83.985 | Craig & Derricott CLS. |
| 83.986 | Klockner & Moeller. AT/ 11A/2/1. |
| 83.987 | Klockner & Moeller. AT-3- 1. |
| 83.988 | Klockner & Moeller. TW2- 3/21c. |
| 83.989 | Santon 128/AD55/TB. |
| 83.990 | Santon SR3212/BE/80/TB3. |
| 83.991 | Santon SR1311 PC. |
| 83.992 | Santon SS3311 PC. |
| 83.993 | Santon SR338/BF/49/TA3. |
| 83.994 | Santon SR326AY37/9/TA |
| 83.995 | Santon SR237. |
| 83.996 | Craig & Derricott RTL3049 AS. |
| 83.996 | Crabtree B15 16107/3. |
| 83.998 | Crabtree B15 starter 1-4 amp. |
| 83.999 | Crabtree B15 starter 1.5-3 amp. |
| 83.001 | Crabtree B15 skelton contact. |
| 83.002 | Crabtree B23 contactor. |
| 83.003 | Crabtree D6 starter 14101. |
| 83.004 | Crabtree D6 starter 14104. |
| 83.005 | Crabtree D6 starter 1.1-1.8 amp. |
| 83.006 | Siemens contactor K915- 1115-1A. |
| 83.007 | Santon ESX 1311 PC. |
| 83.008 | Santon ESR3314/AB/65. |
| 83.009 | Klockner & Moeller TW2 3/63e. |
| 83.010 | Klockner & Moeller T2-2-C |
| 83.012 | Klockner & Moeller TD2- 415-c. |
| 83.013 | Chilton S258AB766E. |
| 83.014 | Chilton C258AB424. |
| 83.015 | Chilton C25A292E. |
| 83.017 | MEM. 310 AX. |
| 83.019 | Santon ESR 3311 PC. |

Section 83 continued

| Part Ref. | |
|-----------|---|
| 83.049 | Stop button Brooks type Z |
| 83.050 | Stop button Brooks type Z. |
| 83.051 | UC2 contactor. |
| 83.052 | Overload block. |
| 83.053 | Heater coil for overload block. |
| 83.054 | Moving contact for UC2 contactor. |
| 83.055 | Aux. contact for UC2 contactor. |
| 83.056 | Fixed contact for UC2 contactor. |
| 83.057 | Coil for UC2 contactor. |
| 83.083 | 40 watt Stepdown transformer primary 220/440/550 V. |
| 83.085 | Starlight transformer GD Underwood input 250/500 V. 1½ amp. |
| 83.086 | Burgess Mk.3 BR 600 V 2A Mico switch. |
| 83.087 | Moving contact for Crabtree B15 starter 1600/13. |
| 83.088 | Fixed contact for Crabtree B15 starter 1600/11. |
| 83.089 | Crabtree cable clamp assy. 1600/19. |
| 83.092 | Overload release unit Crabtree type 16007 3.6 amp. |
| 83.093 | Magnet coil Crabtree type 1600/9/5 380-420 V. |
| 83.094 | Crabtree B15 starter interior type. |
| 83.095 | Crabtree B15 starter moving contact 28011. |
| 83.096 | Crabtree series 16021. Aux. contact. |
| 83.100 | Crabtree contactor magnet 16000/20. |
| 83.126 | Shunt block extension for B23 Crabtree starter. |
| 83.127 | Spacer for B23 Crabtree starter. |
| 83.128 | Cable clamp extension for B23 Crabtree starter. |
| 83.129 | Overload release unit for B23 Crabtree starter. |
| 83.130 | Starter bottom assy c/w baseplate Crabtree B23. |
| 83.150 | Crabtree starter type D6 0.75-1 2A. |
| 83.163 | Crabtree B15 D & C starter 16104/5. |
| 83.164 | Crabtree B15 D & C starter 16199. |
| 83.167 | MEM.1315 AX 15 A isolator |
| 83.168 | Klockner & Moeller T2-4/60-102/7. |
| 83.174 | Sliding contact & block. |
| 83.176 | Toggle contact complete. |
| 83.177 | L/H slipper contact. |
| 83.178 | R/H slipper contact. |

Section 84 Locking Washers

| Part Ref. | |
|-----------|--|
| 84.067 | 3¾ o/d x 2.260 i.d. x .169 tab washer. |
| 84.077 | Terry Belleville washer No.10. |
| 84.097 | 43A tag washer. |
| 84.098 | ¾ star washer. |

Section 84 continued

| Part Ref. | |
|-----------|--|
| 84.099 | ¾ bore tab washer. |
| 84.701 | ¾ Dia. bore single coil. |
| 84.702 | ¼ Dia. bore single coil. |
| 84.703 | 5/16 Dia. bore single coil. |
| 84.704 | ¾ Dia. bore single coil. |
| 84.705 | 7/16 Dia. bore single coil. |
| 84.706 | ½ Dia. bore single coil. |
| 84.707 | 9/16 Dia. bore single coil. |
| 84.708 | 5/8 Dia. bore single coil. |
| 84.709 | ¾ Dia. bore single coil. |
| 84.710 | 7/8 Dia. bore Grover lock spring washer. |
| 84.711 | ¾ Dia. bore double coil. |
| 84.712 | ¼ Dia. bore double coil. |
| 84.713 | 5/16 Dia. bore double coil. |
| 84.714 | ¾ Dia. bore double coil. |
| 84.715 | 7/16 Dia. bore double coil. |
| 84.716 | ½ Dia. bore double coil. |
| 84.717 | 9/16 Dia. bore double coil. |
| 84.718 | 5/8 Dia. bore double coil. |
| 84.719 | ¾ Dia. bore double coil. |
| 84.720 | 11/16 Dia. bore single coil. |
| 84.721 | 2 BA Std. lock washer. |
| 84.722 | 11/16 Dia. bore double coil. |
| 84.723 | 7/8 Dia. bore double coil. |
| 84.724 | 7/8 Dia. spring washer. |
| 84.725 | Schnorr disc spring washer. type K.620L. |
| 84.726 | Terry's std. Belleville No. 7. |

Section 85 Standard Washer

| Part Ref. | |
|-----------|------------------------------------|
| 85.690 | ¾ Dia. bore. |
| 85.691 | ¼ Dia. bore. |
| 85.892 | 5/16 Dia. bore. |
| 85.693 | ¾ Dia. bore. |
| 85.694 | 7/16 Dia. bore. |
| 85.695 | ½ Dia. bore x 1 o/d x .092 in. W. |
| 85.696 | ½ Dia. bore x 1¾ o/d x .062 in. W. |
| 85.697 | 9/16 Dia. bore. |
| 85.698 | 5/8 Dia. bore. |
| 85.699 | ¾ Dia. bore. |
| 85.700 | ½ in. i.d. x 5/16 Thick. |
| 85.701 | 11/16 Dia. bore. |
| 85.702 | 7/8 Dia. bore. |
| 85.720 | 2 BA Std. plain washer. |
| 85.727 | 0.445 i.d. x 0.660 x 18 SWG plain. |
| 85.728 | 1 o/d x ¾ i.d. x 1/8 Thick. |

Section 86 Washers Miscellaneous

| Part Ref. | |
|-----------|--|
| 86.029 | ¾ Internal fan disc washer |
| 86.030 | 7/8 Internal fan disc washer |
| 86.043 | 1½ o/d x ¾ i.d. x 3/16 Thk. leather washer. |
| 86.044 | 1¼ o/d x ¾ i.d. x 3/16 Thk. leather washer. |
| 86.045 | 15/8 o/d x 1½ i.d. x 3/16 Thk. leather washer. |
| 86.058 | 3/8 in. 5° taper washer. |
| 86.080 | AD 1528 Ina thrust washer |
| 86.118 | 1¼ o/d x 7/8 i.d. x 1/8 SKT leather washer. |
| 86.119 | ½ i.d. fan disc washer. |
| 86.133 | Dowty rubber washer GD1321-3. |
| 86.722 | 11/32 o/d x 23/32 x ½ in. leather washer. |
| 86,723 | 1¼ o/d x 23/32 x 1/8 in. leather washer. |
| 86.730 | 3BA large plain washer BS.3910/1961. |
| 86.731 | Tab washer Ref HHI/AG. |
| 86.732 | 5/16 HP washer. |
| 86.733 | Belleville washer 1383/10. |
| 86.734 | ½ i.d. x 3/16 o/d fibre washer |
| 86.735 | Beryllium copper washer. Ref.LSE 8596. |
| 86.738 | ¼ bore shakeproof. |
| 86.740 | Dubo No.105 washer. |
| 86.741 | 3/16 bore x 7/16 o/d x 1/16 Thk. rubber. |

Section 87 Thread Inserts

| Part Ref. | |
|-----------|---------------------------------------|
| 87.823 | 9/16 U.N.C. Helicoil. |
| 87.824 | 3/8 U.N.C. x 9/16 in. long. Helicoil. |
| 87.825 | ½ U.N.C. Helicoil. |

Section 88 Miscellaneous

| Part Ref. | |
|-----------|---|
| 88.041 | Brass pad 1/16 in. Thk. x 3/16 in. dia. |
| 88.070 | 3/8 in. solid gas plug. |
| 88.073 | Tecalmit 4336-2 90° M & F elbow. |
| 88.074 | Spire SRV 1590 (A) door latch. |
| 88.075 | Spire SBV 1691 door latch Stud. |
| 88.076 | 1 in. solid gas plug. |
| 88.046 | ½ in. U.N.C. x 2½ in. long stud. |
| 88.147 | ¼ in. B.S.F. ball joint. |

Section 1000

| Part Ref. | |
|-----------|--|
| 1001 | Selector Switch Type T2-4/90-z Comprising of: |
| | 1004 Switch Spindle Extension |
| | 1005 Indicator Mounting Plate |
| | 1006 Indicator Back Plate |
| | 1007 Switch Indicator Plate - Motor fwd. Motor rev. |
| | 1009 Thumb Grip Handle (Black) |
| 1002 | Selector Switch Type T26-2-z Comprising of: |
| | 1004 Switch Spindle Extension |
| | 1005 Indicator Mounting Plate |
| | 1006 Indicator Back Plate |
| | 1007 Switch Indicator Plate - Brake Re- lease - Coolant Pump |
| | 1009 Thumb Grip Handle (Black) |
| 1003 | Triple Pole Isolator Switch Type T26-3-v Comprising of: |
| | 1004 Switch Spindle Extension |
| | 1005 Indicator Mounting Plate |
| | 1006 Indicator Back Plate |
| | 1007 Switch Indicator Plate - Mains ON - OFF |
| | 1008 Thumb Grip Handle (Red) |
| 1010 | Neoprene Inch Button Cap Type G - T |
| 1011 | Inch Button Type DT.r |
| 1012 | Retaining Ring - Integral Part of 1010 |
| 1013 | Retaining Screwed Collar - Integral Part of 1011 |
| 1014 | Isolator Shroud Type T2 |
| 1015 | Triple Pole 25A Fuse Base Type S 25/3 |
| 1016 | Single Pole 25A Fuse Base Type SH.25/1.1 |
| 1017 | Fuse Holder Type K11(25A) or Type K111(25- 60A) |
| 1018 | 4A. Control Circuit Fuse Type TDZ.11.4. |
| 1019 | Main Phase Fuse 25A - Type TDZ.11.25 35A - Type TDZ.111.35 60A - Type TDZ.111.60 |
| 1020 | Forward and Reverse Contactor Type DIL.2/ 57 |
| 1021 | Control Transformer Type ET.200 |
| 1022 | Star Point Contactor Type DIL.0-41/56 |
| 1023 | No Volt Contactor Type DIL.00a-41/59 |
| 1024 | Overload Relay Type Z.2 |
| 1025 | Connecting Terminals Type RK.4(SAK.2.5) |
| 1026 | Terminal Barriers Type T.W. i/130.i |
| 1027 | Terminal End Plate Type AP.10/1179 |
| 1028 | Terminal End Clamp Type EWK/1846 |
| 1029 | Terminal Rail Type TS.32/120/1288 |
| 1030 | Sleeves - Integral Part of 1020 |
| 1031 | Inch Contact Black Type AK-44a |
| 1032 | Limit Switch Type AT.21-5-i |
| 1033 | Male Conduit Adapter Coupling |
| 1034 | Female Conduit Adapter Coupling |
| 1035 | Pump Conduit Adapter |
| 1036 | 3 Way Female Coupling |
| 1037 | Male Conduit Adapter |
| 1038 | ½ in. B.S.P. Locknut |
| 1039 | ¾ in. Bore Flexible Conduit |
| 1040 | ½ in. Bore Copper Pipe |
| 1041 | Kingley Coupling Type 304 (Female) |
| 1042 | Kingley Coupling Type 304 (Male) |
| 1043 | 3m x 12mm Round Head Screw |
| 1044 | 4m x 8mm Cheese Head Screw |
| 1045 | 4m x 12mm Cheese Head Screw |
| 1046 | 4m x 15mm Cheese Head Screw |
| 1047 | 4m x 20mm Cheese Head Screw |
| 1048 | 4m x 35mm Cheese Head Screw |
| 1049 | 4m x 105mm Cheese Head Screw |
| 1050 | 5m x 9mm Cheese Head Screw |
| 1051 | BT.7871 Nut |
| 1052 | 5m x 12mm Cheese Head Screw |
| 1053 | ¾ in. U.N.F. x ¾ Cheese Head Screw |
| 1054 | 5mm Nut |
| 1055 | 4mm Standard Washer |
| 1056 | 4mm Shakeproof Washer |
| 1057 | 5mm Standard Washer |
| 1058 | 5mm Shakeproof Washer |